

In Memoriam

G rard COHEN
Fr d ric MAFFRAY
Yannis MANOUSSAKIS
Peter SLATER

New Maintainer

I am Devin Jean, and I will be continuing to maintain this bibliography for the foreseeable future. If you would like to recommend a new publication be added, feel free to contact me at devin.c.jean@vanderbilt.edu. I will try to stay up to date with new publications, but emails from authors would be greatly appreciated.

All references are available as bibtex: <https://github.com/dragazo/bibdom/blob/master/refs.bib>.

SYST MES DE CONTR LE, CODES IDENTIFIANTS, LOCALISATEURS-DOMINATEURS ET DISCRIMINANTS DANS LES GRAPHS

WATCHING SYSTEMS, IDENTIFYING, LOCATING-DOMINATING AND DISCRIMINATING CODES IN GRAPHS

March 11, 2024

References

- [1] E. C. Ahmad, G. A. Malacas, and Jr. S. R. Canoy. 2021. Stable locating-dominating sets in graphs. *European Journal of Pure and Applied Mathematics* 14, 3 (2021), 638–649. <https://doi.org/10.29020/nybg.ejpam.v14i3.3998>
- [2] M. Aider, S. Gravier, and S. Slimani. 2016. Relaxed locally identifying coloring of graphs. *Graphs and Combinatorics* 32, 5 (2016), 1651–1665. <https://doi.org/10.1007/s00373-016-1677-z>
- [3] D. Angel, I. A. Arputhamary, and K. Ezhilarasi. 2021. Location domination for generalized friendship graphs analytics. In *2021 5th International Conference on Computing Methodologies and Communication (ICCMC)*. Erode, India, 865–868. <https://doi.org/10.1109/ICCMC51019.2021.9418258>
- [4] G. Araujo-pardo, C. Balbuena, L. Montejano, and J. C. Valenzuela. 2011. Partial linear spaces and identifying codes. *European Journal of Combinatorics* 32 (2011), 344–351. <https://doi.org/10.1016/j.ejc.2010.10.014>
- [5] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2017. A linear-time algorithm for the identifying code problem on block graphs. *Electronic Notes in Discrete Mathematics* 62 (2017), 249–254. <https://doi.org/10.1016/j.endm.2017.10.043>
- [6] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2018. Polyhedra associated with identifying codes in graphs. *Discrete Applied Mathematics* 245 (2018), 16–27. <https://doi.org/10.1016/j.dam.2017.06.005>
- [7] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2019. The identifying code, the locating-dominating, the open locating-dominating and the locating total-dominating problems under some graph operations. *Electronic Notes in Theoretical Computer Science* 346 (2019), 135–145. <https://doi.org/10.1016/j.entcs.2019.08.013>

- [8] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2020. Linear-time algorithms for three domination-based separation problems in block graphs. *Discrete Applied Mathematics* 281 (2020), 6–41. <https://doi.org/10.1016/j.dam.2019.08.001>
- [9] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2020. Polyhedra associated with open locating-dominating and locating total-dominating sets in graphs. *Lecture Notes in Computer Science* (2020), 3–14. https://doi.org/10.1007/978-3-030-53262-8_1
- [10] G. R. Argiroffo, S. M. Bianchi, Y. P. Lucarini, and A. K. Wagler. 2022. Polyhedra associated with locating-dominating, open locating-dominating and locating total-dominating sets in graphs. *Discrete Applied Mathematics* 322 (2022), 465–480. <https://doi.org/10.1016/j.dam.2022.06.025>
- [11] G. R. Argiroffo, S. M. Bianchi, and A. K. Wagler. 2013. Polyhedra associated to identifying codes. *Electronic Notes in Discrete Mathematics* 44 (2013), 175–180. <https://doi.org/10.1016/j.endm.2013.10.027>
- [12] G. R. Argiroffo, S. M. Bianchi, and A. K. Wagler. 2014. On identifying code polyhedra of families of suns. In *VIII-th ALIO/EURO Workshop on Applied Combinatorial Optimization*. Montevideo, Uruguay.
- [13] G. R. Argiroffo, S. M. Bianchi, and A. K. Wagler. 2014. Study of identifying code polyhedra for some families of split graphs. *Lecture Notes in Computer Science* (2014), 13–25. https://doi.org/10.1007/978-3-319-09174-7_2
- [14] G. R. Argiroffo, S. M. Bianchi, and A. K. Wagler. 2015. A polyhedral approach to locating-dominating sets in graphs. *Electronic Notes in Discrete Mathematics* 50 (2015), 89–94. <https://doi.org/10.1016/j.endm.2015.07.016>
- [15] G. R. Argiroffo, S. M. Bianchi, and A. K. Wagler. 2016. Progress on the description of identifying code polyhedra for some families of split graphs. *Discrete Optimization* 22 (2016), 225–240. <https://doi.org/10.1016/j.disopt.2016.06.002>
- [16] A. H. Assiyatun and E. T. Baskoro. 2011. Locating-chromatic number of amalgamation of stars. *Institut Teknologi Bandung Journal of Science* 43A (2011), 1–8. <https://doi.org/10.5614/itbj.sci.2011.43.1.1>
- [17] D. Auger. 2007. Problèmes d’identification métrique dans les graphes. *Rapport interne Télécom Paris-2007D013* (2007), 44.
- [18] D. Auger. 2008. Induced paths in twin-free graphs. *Electronic Journal of Combinatorics* 15, 1 (2008). <https://doi.org/10.37236/892>
- [19] D. Auger. 2009. Identifying codes in trees and planar graphs. *Electronic Notes in Discrete Mathematics* 34 (2009), 585–588. <https://doi.org/10.1016/j.endm.2009.07.097>
- [20] D. Auger. 2010. Minimal identifying codes in trees and planar graphs with large girth. *European Journal of Combinatorics* 31 (2010), 1372–1384. <https://doi.org/10.1016/j.ejc.2009.11.012>
- [21] D. Auger. 2010. *Problèmes d’identification combinatoire et puissances de graphes*. Ph.D. Dissertation. Telecom ParisTech, France.
- [22] D. Auger. 2011. Combinatorial identification problems and graph powers. *4OR: A Quarterly Journal of Operations Research* 9 (2011), 417–420. <https://doi.org/10.1007/s10288-011-0167-7>
- [23] D. Auger, I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2009. Edge number, minimum degree, maximum independent set, radius and diameter in twin-free graphs. *Advances in Mathematics of Communications* 3, 1 (2009), 97–114. <https://doi.org/10.3934/amc.2009.3.97>
- [24] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2009. Existence d’un cycle de longueur au moins 7 dans un graphe sans $(1, \leq 2)$ -jumbeaux. *Rapport interne Telecom ParisTech-2009D015* (2009), 18.

- [25] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2010. Complexity results for identifying codes in planar graphs. *International Transactions in Operational Research* 17 (2010), 691–710. <https://doi.org/10.1111/j.1475-3995.2009.00750.x>
- [26] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2010. Maximum size of a minimum watching system and the graphs achieving the bound. *Rapport interne Telecom ParisTech-2010D011* (2010), 40.
- [27] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2010. On the existence of a cycle of length at least 7 in a $(1, \leq 2)$ -twin-free graph. *Discussiones Mathematicae Graph Theory* 30 (2010), 591–609.
- [28] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2013. Watching systems in graphs: an extension of identifying codes. *Discrete Applied Mathematics* 161 (2013), 1674–1685. <https://doi.org/10.1016/j.dam.2011.04.025>
- [29] D. Auger, I. Charon, O. Hudry, and A. Lobstein. 2014. Maximum size of a minimum watching system and the graphs achieving the bound. *Discrete Applied Mathematics* 164 (2014), 20–33. <https://doi.org/10.1016/j.dam.2012.08.028>
- [30] D. Auger, G. Cohen, and S. Mesnager. 2014. Sphere coverings and identifying codes. *Designs, Codes and Cryptography* 70 (2014), 3–7. <https://doi.org/10.1007/s10623-012-9638-x>
- [31] D. Auger and I. Honkala. 2013. Watching systems in the king grid. *Graphs and Combinatorics* 29 (2013), 333–347. <https://doi.org/10.1007/s00373-011-1124-0>
- [32] L. Babai. 1980. On the complexity of canonical labeling of strong regular graphs. *SIAM Journal of Computing* 9 (1980), 212–216. <https://doi.org/10.1137/0209018>
- [33] C. Balbuena, C. Dalfó, and B. Martínez-barona. 2019. Characterizing identifying codes from the spectrum of a graph or digraph. *Linear Algebra and its Applications* 570 (2019), 138–147. <https://doi.org/10.1016/j.laa.2019.02.010>
- [34] C. Balbuena, C. Dalfó, and B. Martínez-barona. 2020. Identifying codes in line digraphs. *Applied Mathematics and Computation* 383 (2020), 10. <https://doi.org/10.1016/j.amc.2020.125357>
- [35] C. Balbuena, C. Dalfó, and B. Martínez-barona. 2021. Sufficient conditions for a digraph to admit a $(1, \leq \ell)$ -identifying code. *Discussiones Mathematicae Graph Theory* 41, 4 (2021), 853–872.
- [36] C. Balbuena, F. Foucaud, and A. Hansberg. 2015. Locating-dominating sets and identifying codes in graphs of girth at least 5. *Electronic Journal of Combinatorics* 22, 2 (2015), 22.
- [37] F. Barbero, L. Isenmann, and J. Thiebaut. 2019. On the distance identifying set meta-problem and applications to the complexity of identifying problems on graphs. In *Proceedings of 13th International Symposium on Parameterized and Exact Computation*, Vol. 115. 14. Leibniz International Proceedings in Informatics.
- [38] F. Barbero, L. Isenmann, and J. Thiebaut. 2020. On the Distance Identifying Set meta-problem and applications to the complexity of identifying problems on graphs. *Algorithmica* 82, 8 (2020), 2243–2266.
- [39] E. T. Baskoro and D. I. D. Primaskun. 2021. Improved algorithm for the locating-chromatic number of trees. *Theoretical Computer Science* 856 (2021), 165–168.
- [40] K. Basu and A. Sen. 2021. Identifying individuals associated with organized criminal networks: A social network analysis. *Social Networks* 64 (2021), 42–54.
- [41] L. Beaudou, P. Dankelmann, F. Foucaud, M. A. Henning, A. Mary, and A. Parreau. 2018. Bounding the order of a graph using its diameter and metric dimension: a study through tree decompositions and VC dimension. *SIAM Journal on Discrete Mathematics* 32, 2 (2018), 902–918.

- [42] A. Behtoei and M. Anbarloei. 2014. The locating chromatic number of the join of graphs. *Bulletin of the Iranian Mathematical Society* 40, 6 (2014), 1491–1504.
- [43] A. Behtoei and M. Anbarloei. 2015. A bound for the locating chromatic number of trees. *Transactions on Combinatorics* 4, 1 (2015), 31–41.
- [44] A. Behtoei and B. Omoomi. 2011. On the locating chromatic number of Kneser graphs. *Discrete Applied Mathematics* 159 (2011), 2214–2221.
- [45] A. Behtoei and B. Omoomi. 2016. On the locating chromatic number of the Cartesian product of graphs. *Ars Combinatoria* 126 (2016), 221–235.
- [46] Y. Ben-haim, S. Gravier, A. Lobstein, and J. Moncel. 2007. Adaptive identification in graphs. *Rapport interne Télécom Paris-2007D012* (September 2007), 33.
- [47] Y. Ben-haim, S. Gravier, A. Lobstein, and J. Moncel. 2008. Adaptive identification in graphs. *Journal of Combinatorial Theory, Series A* 115 (2008), 1114–1126.
- [48] Y. Ben-haim, S. Gravier, A. Lobstein, and J. Moncel. 2011. Adaptive identification in torii in the king lattice. *Electronic Journal of Combinatorics* 18, 1 (2011).
- [49] Y. Ben-haim and S. Litsyn. 2005. Exact minimum density of codes identifying vertices in the square grid. *SIAM Journal on Discrete Mathematics* 19 (2005), 69–82.
- [50] J. Bensmail, D. Mazauric, F. Mc inerney, N. Nisse, and S. Pérennes. 2018. Sequential metric dimension. *Lecture Notes in Computer Science* (2018), 36–50.
- [51] T. Y. Berger-wolf, W. E. Hart, and J. Saia. 2005. Discrete sensor placement problems in distribution networks. *Mathematical and Computer Modelling* 42 (2005), 1385–1396.
- [52] T. Y. Berger-wolf, M. Laifenfeld, and A. Trachtenberg. 2006. Identifying codes and the set cover problem. *Proceedings of the 44th Annual Allerton Conference on Communication, Control and Computing* (September 2006).
- [53] N. Bertrand. 2001. Codes identifiants et codes localisateurs-dominateurs sur certains graphes. *Mémoire de stage de maîtrise* (June 2001).
- [54] N. Bertrand, I. Charon, O. Hudry, and A. Lobstein. 2003. Identifying or locating-dominating codes for some families of graphs. *Rapport interne Télécom Paris-2003C001* (February 2003), 48.
- [55] N. Bertrand, I. Charon, O. Hudry, and A. Lobstein. 2004. Identifying and locating-dominating codes on chains and cycles. *European Journal of Combinatorics* 25 (2004), 969–987.
- [56] N. Bertrand, I. Charon, O. Hudry, and A. Lobstein. 2005. 1-identifying codes on trees. *Australasian Journal of Combinatorics* 31 (2005), 21–35.
- [57] U. Blass, I. Honkala, and S. Litsyn. 1999. On the size of identifying codes. *Lecture Notes in Computer Science* (1999), 142–147. https://doi.org/10.1007/3-540-46796-3_14
- [58] U. Blass, I. Honkala, and S. Litsyn. 2000. On binary codes for identification. *Journal of Combinatorial Designs* 8 (2000), 151–156. [https://doi.org/10.1002/\(SICI\)1520-6610\(2000\)8:2%3C151::AID-JCD8%3E3.0.CO;2-S](https://doi.org/10.1002/(SICI)1520-6610(2000)8:2%3C151::AID-JCD8%3E3.0.CO;2-S)
- [59] U. Blass, I. Honkala, and S. Litsyn. 2001. Bounds on identifying codes. *Discrete Mathematics* 241 (2001), 119–128.
- [60] M. Blidia and M. Chellali. 2018. Locating domination dot-critical graphs. *Journal of Combinatorial Mathematics and Combinatorial Computing* 104 (2018), 121–141.

- [61] M. Blidia, M. Chellali, R. Lounes, and F. Maffray. 2011. Characterizations of trees with unique minimum locating-dominating sets. *Journal of Combinatorial Mathematics and Combinatorial Computing* 76 (2011), 225–232.
- [62] M. Blidia, M. Chellali, F. Maffray, J. Moncel, and A. Semri. 2007. Locating-domination and identifying codes in trees. *Australasian Journal of Combinatorics* 39 (2007), 219–232.
- [63] M. Blidia and W. Dali. 2009. A characterization of locating-domination edge critical graphs. *Australasian Journal of Combinatorics* 44 (2009), 297–300.
- [64] M. Blidia and W. Dali. 2011. A characterization of locating-total domination edge critical graphs. *Discussiones Mathematicae Graph Theory* 31 (2011), 197–202.
- [65] M. Blidia and W. Dali. 2014. On locating and locating-total domination edge addition critical graphs. *Utilitas Mathematica* 94 (2014), 303–313.
- [66] M. Blidia, O. Favaron, and R. Lounes. 2008. Locating-domination, 2-domination and independence in trees. *Australasian Journal of Combinatorics* 42 (2008), 309–316.
- [67] M. Blidia and R. Lounes. 2009. Vertices belonging to all or to no minimum locating dominating sets of trees. *Opuscula Mathematica* 29 (2009), 5–14.
- [68] K. M. J. De bontridder, B. V. Halldórsson, M. M. Hall dórs son, C. A. J. Hurkens, J. K. Lenstra, R. Ravi, and L. Stougie. 2003. Approximation algorithms for the test cover problem. *Mathematical Programming* 98 (2003), 477–491.
- [69] N. Bousquet, Q. Deschamps, T. Lehtilä, and A. Parreau. 2023. Locating-dominating sets: From graphs to oriented graphs. *Discrete Mathematics* 346, 1 (2023). <https://doi.org/10.1016/j.disc.2022.113124>
- [70] N. Bousquet, A. Lagoutte, Z. Li, A. Parreau, and S. Thomassé. 2014. Identifying codes and VC-dimension. *Proceedings of Bordeaux Graph Workshop* (2014), 63–64.
- [71] N. Bousquet, A. Lagoutte, Z. Li, A. Parreau, and S. Thomassé. 2015. Identifying codes in hereditary classes of graphs and VC-dimension. *SIAM Journal on Discrete Mathematics* 29, 4 (2015), 2047–2064.
- [72] D. Boutin, V. H. Goliber, and M. Pelto. 2019. Identifying codes on directed de Bruijn graphs. *Discrete Applied Mathematics* 262 (2019), 29–41.
- [73] M. Bouznif. 2012. *Algorithmes génériques en temps constant pour la résolution de problèmes combinatoires dans la classe des rotagraphe et fasciagraphe. Application aux codes identifiants, dominant-localisateurs et total-dominant-localisateurs*. Ph.D. Dissertation. Université de Grenoble, France.
- [74] M. Bouznif, J. Darlay, J. Moncel, and M. Preissmann. 2019. Exact values for three domination-like problems in circular and infinite grid graphs of small height. *Discrete Mathematics and Theoretical Computer Science* 21, 3 (2019), 21.
- [75] M. Bouznif, F. Havet, and M. Preissmann. 2016. Minimum-density identifying codes in square grids. *Lecture Notes in Computer Science* (2016), 77–88.
- [76] M. Bouznif, J. Moncel, and M. Preissmann. 2012. Generic algorithms for some decision problems on fasciagraphs and rotagraphs. *Discrete Mathematics* 312 (2012), 2707–2719. <https://doi.org/10.1016/j.disc.2012.02.013>
- [77] J. Cáceres, D. Garijo, M. L. Puertas, and C. Seara. 2010. On the determining number and the metric dimension of graphs. *Electronic Journal of Combinatorics* 17, 1 (2010).
- [78] J. Cáceres, C. Hernando, M. Mora, I. M. Pelayo, and M. L. Puertas. 2013. Locating-dominating codes: Bounds and extremal cardinalities. *Applied Mathematics and Computation* 220 (2013), 38–45.

- [79] J. Cáceres, C. Hernando, M. Mora, I. M. Pelayo, M. L. Puertas, C. Seara, and D. R. Wood. 2007. On the metric dimension of Cartesian products of graphs. *SIAM Journal on Discrete Mathematics* 21, 2 (2007), 423–441.
- [80] D. Gonçalves, A. Parreau, and A. Pinlou. 2013. Locally identifying coloring in bounded expansion classes of graphs. *Discrete Applied Mathematics* 161 (2013), 2946–2951. <https://doi.org/10.1016/j.dam.2013.07.003>
- [81] C. Camarero, C. Martinez, and R. Beivide. 2015. Identifying codes of degree 4 Cayley graphs over Abelian groups. *Advances in Mathematics of Communications* 9 (2015), 129–148.
- [82] M. R. Cappelle, E. M. Coelho, L. R. Foulds, and H. J. Longo. 2019. Open-independent, open-locating-dominating sets in complementary prism graphs. *Electronic Notes in Theoretical Computer Science* 346 (2019), 253–264.
- [83] M. R. Cappelle, E. M. M. Coelho, L. R. Foulds, and H. J. Longo. 2022. Complexity results on open-independent, open-locating-dominating sets in complementary prism graphs. *Discrete Applied Mathematics* 323 (2022), 124–133.
- [84] M. R. Cappelle, E. M. M. Coelho, L. R. Foulds, and H. J. Longo. 2022. Open-independent, open-locating-dominating sets: structural aspects of some classes of graphs. *Discrete Mathematics and Theoretical Computer Science* 24, 1 (2022), 18.
- [85] D. I. Carson. 1995. On generalized location-domination. *Graph Theory, Combinatorics, and Applications: Proceedings of the 7th Quadrennial International Conference on the Theory and Applications of Graphs* 1 (1995), 161–179.
- [86] K. Chakrabarty, M. G. Karpovsky, and L. B. Levitin. 1998. Fault detection and diagnosis in multiprocessor systems with point-to-point connections. *Fault Tolerant Parallel and Distributed Systems* (1998), 285–301.
- [87] T. P. Chang and L. D. Tong. 2014. Choice identification of a graph. *Discrete Applied Mathematics* 167 (2014), 61–71. <https://doi.org/10.1016/j.dam.2013.12.003>
- [88] E. Charbit, I. Charon, G. Cohen, and O. Hudry. 2006. Discriminating codes in bipartite graphs. *Electronic Notes in Discrete Mathematics* 26 (2006), 29–35. <https://doi.org/10.1016/j.endm.2006.08.005>
- [89] E. Charbit, I. Charon, G. Cohen, O. Hudry, and A. Lobstein. 2008. Discriminating codes in bipartite graphs: bounds, extremal cardinalities, complexity. *Advances in Mathematics of Communications* 4, 2 (2008), 403–420.
- [90] I. Charon, G. Cohen, O. Hudry, and A. Lobstein. 2007. Links between discriminating and identifying codes in the binary Hamming space. *Lecture Notes in Computer Science* (2007), 267–270.
- [91] I. Charon, G. Cohen, O. Hudry, and A. Lobstein. 2008. Discriminating codes in (bipartite) planar graphs. *European Journal of Combinatorics* 29 (2008), 1353–1364.
- [92] I. Charon, G. Cohen, O. Hudry, and A. Lobstein. 2010. New identifying codes in the binary Hamming space. *European Journal of Combinatorics* 31 (2010), 491–501.
- [93] I. Charon, S. Gravier, O. Hudry, A. Lobstein, M. Mollard, and J. Moncel. 2006. A linear algorithm for minimum 1-identifying codes in oriented trees. *Discrete Applied Mathematics* 154 (2006), 1246–1253.
- [94] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2000. Identifying codes. *Rapport interne Télécom Paris-2000D009* (October 2000), 67.
- [95] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2001. General bounds for identifying codes in some infinite regular graphs. *Electronic Journal of Combinatorics* 8, 1 (2001).

- [96] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2004. The minimum density of an identifying code in the king lattice. *Discrete Mathematics* 276 (2004), 95–109. [https://doi.org/10.1016/S0012-365X\(03\)00306-6](https://doi.org/10.1016/S0012-365X(03)00306-6)
- [97] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2007. Structural properties of twin-free graphs. *Electronic Journal of Combinatorics* 14, 1 (2007).
- [98] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2013. Minimum sizes of identifying codes in graphs differing by one vertex. *Cryptography and Communications – Discrete Structures, Boolean Functions and Sequences* 5 (2013), 119–136.
- [99] I. Charon, I. Honkala, O. Hudry, and A. Lobstein. 2014. Minimum sizes of identifying codes in graphs differing by one edge. *Cryptography and Communications – Discrete Structures, Boolean Functions and Sequences* 6 (2014), 157–170.
- [100] I. Charon, O. Hudry, and A. Lobstein. 2001. Complexity of identifying and locating problems in graphs. *Rapport interne Télécom Paris-2001D013* (October 2001), 36.
- [101] I. Charon, O. Hudry, and A. Lobstein. 2002. Identifying and locating-dominating codes: NP-completeness results for directed graphs. *IEEE Transactions on Information Theory* IT-48 (2002), 2192–2200.
- [102] I. Charon, O. Hudry, and A. Lobstein. 2002. Identifying codes with small radius in some infinite regular graphs. *Electronic Journal of Combinatorics* 9, 1 (2002).
- [103] I. Charon, O. Hudry, and A. Lobstein. 2003. Extremal cardinalities for identifying and locating-dominating codes in graphs. *Rapport interne Télécom Paris-2003D006* (August 2003), 18.
- [104] I. Charon, O. Hudry, and A. Lobstein. 2003. Minimizing the size of an identifying or locating-dominating code in a graph is NP-hard. *Theoretical Computer Science* 290 (2003), 2109–2120.
- [105] I. Charon, O. Hudry, and A. Lobstein. 2005. On the structure of identifiable graphs. *Electronic Notes in Discrete Mathematics* 22 (2005), 491–495.
- [106] I. Charon, O. Hudry, and A. Lobstein. 2005. Possible cardinalities for identifying codes in graphs. *Australasian Journal of Combinatorics* 32 (2005), 177–195.
- [107] I. Charon, O. Hudry, and A. Lobstein. 2006. Possible cardinalities for locating-dominating codes in graphs. *Australasian Journal of Combinatorics* 34 (2006), 23–32.
- [108] I. Charon, O. Hudry, and A. Lobstein. 2007. Extremal cardinalities for identifying and locating-dominating codes in graphs. *Discrete Mathematics* 307 (2007), 356–366.
- [109] I. Charon, O. Hudry, and A. Lobstein. 2008. Extremal values for the maximum degree in a twin-free graph. *Rapport interne TELECOM ParisTech-2008D007* (May 2008), 17.
- [110] I. Charon, O. Hudry, and A. Lobstein. 2011. Extremal values for identification, domination and maximum cliques in twin-free graphs. *Ars Combinatoria* 101 (2011), 161–185.
- [111] I. Charon, O. Hudry, and A. Lobstein. 2011. Minimum sizes of identifying codes in graphs differing by one edge or one vertex. *Rapport interne Telecom ParisTech-2011D008* (2011), 30.
- [112] I. Charon, O. Hudry, and A. Lobstein. 2012. Extremal values for the maximum degree in a twin-free graph. *Ars Combinatoria* 107 (2012), 257–274.
- [113] I. Charon, O. Hudry, and A. C. Lobstein. 2022. Codes in the q -ary Lee hypercube. *WSEAS Transactions on Mathematics* 21 (2022), 173–186.
- [114] G. Chartrand, L. Eroh, M. A. Johnson, and O. R. Oellermann. 2000. Resolvability in graphs and the metric dimension of a graph. *Discrete Applied Mathematics* 105 (2000), 99–113.

- [115] G. Chartrand, D. Erwin, M. A. Henning, P. J. Slater, and P. Zhang. 2002. The locating-chromatic number of a graph. *Bulletin of the Institute of Combinatorics and its Applications* 36 (2002), 89–101.
- [116] G. Chartrand, D. Erwin, M. A. Henning, P. J. Slater, and P. Zhang. 2003. Graphs of order n with locating-chromatic number $n - 1$. *Discrete Mathematics* 269 (2003), 65–79.
- [117] G. Chartrand, D. Erwin, P. J. Slater, and P. Zhang. 2003. Distance-location numbers of graphs. *Utilitas Mathematica* 63 (2003), 65–79.
- [118] M. Chellali. 2008. On locating and differentiating-total domination in trees. *Discussiones Mathematicae Graph Theory* 28 (2008), 383–392.
- [119] M. Chellali, M. Mimouni, and P. J. Slater. 2010. On locating-domination in graphs. *Discussiones Mathematicae Graph Theory* 30 (2010), 223–235.
- [120] M. Chellali and N. J. Rad. 2009. Locating-total domination critical graphs. *Australasian Journal of Combinatorics* 45 (2009), 227–234.
- [121] M. Chellali, N. J. Rad, S. J. Seo, and P. J. Slater. 2014. On open neighborhood locating-dominating in graphs. *Electronic Journal of Graph Theory and Applications* 2, 2 (2014), 87–98.
- [122] C. Chen, C. Lu, and Z. Miao. 2011. Identifying codes and locating-dominating sets on paths and cycles. *Discrete Applied Mathematics* 159, 15 (2011), 1540–1547. <https://doi.org/10.1016/j.dam.2011.06.008>
- [123] X. Chen and M. Y. Sohn. 2011. Bounds on the locating-total domination number of a tree. *Discrete Applied Mathematics* 159 (2011), 769–773. <https://doi.org/10.1016/j.dam.2010.12.025>
- [124] G. Cohen, S. Gravier, I. Honkala, A. Lobstein, M. Mollard, Ch. Payan, and G. Zémor. 1999. Improved identifying codes for the grid. *Electronic Journal of Combinatorics* 6, 1 (1999).
- [125] G. Cohen, I. Honkala, A. Lobstein, and G. Zémor. 1999. New bounds for codes identifying vertices in graphs. *Electronic Journal of Combinatorics* 6, 1 (1999).
- [126] G. Cohen, I. Honkala, A. Lobstein, and G. Zémor. 2000. Bounds for codes identifying vertices in the hexagonal grid. *SIAM Journal on Discrete Mathematics* 13 (2000), 492–504.
- [127] G. Cohen, I. Honkala, A. Lobstein, and G. Zémor. 2001. On codes identifying vertices in the two-dimensional square lattice with diagonals. *IEEE Transactions on Computers* 50 (2001), 174–176.
- [128] G. Cohen, I. Honkala, A. Lobstein, and G. Zémor. 2001. On identifying codes. In *Proceedings of DIMACS Workshop on Codes and Association Schemes '99*, Vol. 56. Piscataway, USA, 97–109.
- [129] G. Cohen, A. Lobstein, and G. Zémor. 1999. Identification d’une station défaillante dans un contexte radio-mobile, Aspects Algorithmiques des Télécommunications (AlgoTel ’99). *Actes* (1999), 19–22.
- [130] N. Cohen and F. Havet. 2018. On the minimum size of an identifying code over all orientations of a graph. *Electronic Journal of Combinatorics* 25, 1 (2018), 23.
- [131] N. Cohen, N. A. Martins, F. Mc inerney, N. Nisse, S. Pérennes, and R. Sampaio. 2018. Spy-game on graphs: complexity and simple topologies. *Theoretical Computer Science* 725 (2018), 1–15. <https://doi.org/10.1016/j.tcs.2017.11.015>
- [132] C. J. Colbourn, P. J. Slater, and L. K. Stewart. 1987. Locating dominating sets in series parallel networks. *Congressus Numerantium* 56 (1987), 135–162.
- [133] P. Coupechoux. 2017. Extension of universal cycles for globally identifying colorings of cycles. *Discrete Mathematics* 340 (2017), 1456–1466. <https://doi.org/10.1016/j.disc.2017.02.002>
- [134] D. W. Cranston and G. Yu. 2009. A new lower bound on the density of vertex identifying codes for the infinite hexagonal grid. *Electronic Journal of Combinatorics* 16, 1 (2009).

- [135] A. Cukierman and G. Yu. 2013. New bounds on the minimum density of an identifying code for the infinite hexagonal grid. *Discrete Applied Mathematics* 161 (2013), 2910–2924. <https://doi.org/10.1016/j.dam.2013.06.002>
- [136] W. Dali and M. Blidia. 2014. Criticality indices of locating-domination of paths and cycles. *Utilitas Mathematica* 94 (2014), 199–219.
- [137] W. Dali and M. Blidia. 2014. On locating and locating-total domination edge addition critical graphs. *Utilitas Mathematica* 94 (2014), 303–313.
- [138] M. Daniel. 2003. Codes identifiants. *Mémoire pour le DEA ROCO, Université Joseph Fourier* (June 2003).
- [139] M. Daniel, S. Gravier, and J. Moncel. 2004. Identifying codes in some subgraphs of the square lattice. *Theoretical Computer Science* 319 (2004), 411–421.
- [140] R. Dantas, F. Havet, and R. M. Sampaio. 2017. Identifying codes for infinite triangular grids with a finite number of rows. *Discrete Mathematics* 340 (2017), 1584–1597.
- [141] R. Dantas, F. Havet, and R. M. Sampaio. 2018. Minimum density of identifying codes of king grids. *Discrete Mathematics* 341 (2018), 2708–2719.
- [142] R. Dantas, R. M. Sampaio, and F. Havet. 2017. Minimum density of identifying codes of king grids. *Electronic Notes in Discrete Mathematics* 62 (2017), 51–56.
- [143] O. Delmas, S. Gravier, M. Montassier, and A. Parreau. 2011. On two variations of identifying codes. *Discrete Mathematics* 311 (2011), 1948–1956. <https://doi.org/10.1016/j.disc.2011.05.018>
- [144] M. Demange, A. Di fonso, G. Di stefano, and P. Vittorini. 2022. A graph theoretical approach to the firebreak locating problem. *Theoretical Computer Science* 914 (2022), 47–72. <https://doi.org/10.1016/j.tcs.2022.02.012>
- [145] S. Dey, F. Foucaud, S. C. Nandy, and A. Sen. 2020. Discriminating codes in geometric setups. In *Proceedings of 31st International Symposium on Algorithms and Computation (ISAAC 2020)*, Vol. 181. 1–16. <https://doi.org/10.4230/LIPIcs.ISAAC.2020.24>
- [146] R. Dhanalakshmi and C. Durairajan. 2019. Constructions of r -identifying codes and $(r, \leq \ell)$ -identifying codes. *Indian Journal of Pure and Applied Mathematics* 50 (2019), 531–547.
- [147] R. Dhanalakshmi and C. Durairajan. 2019. r -identifying codes in binary Hamming space, q -ary Lee space and incomplete hypercube. *Discrete Mathematics, Algorithms and Applications* 11, 2 (2019), 14.
- [148] R. Dhanalakshmi and C. Durairajan. 2021. Bounds on r -identifying codes in q -ary Lee space. *Contributions to Discrete Mathematics* 16, 1 (2021), 53–71.
- [149] R. C. Entringer and L. D. Gassman. 1974. Line-critical point determining and point distinguishing graphs. *Discrete Mathematics* 10, 1 (1974), 43–55. [https://doi.org/10.1016/0012-365X\(74\)90019-3](https://doi.org/10.1016/0012-365X(74)90019-3)
- [150] L. Esperet, S. Gravier, M. Montassier, P. Ochem, and A. Parreau. 2012. Locally identifying coloring of graphs. *Electronic Journal of Combinatorics* 19, 2 (2012).
- [151] G. Exoo, V. Junnila, and T. Laihonen. 2010. On location-domination of set of vertices in cycles and paths. *Congressus Numerantium* 202 (2010), 97–112.
- [152] G. Exoo, V. Junnila, and T. Laihonen. 2011. Locating-dominating codes in cycles. *Australasian Journal of Combinatorics* 49 (2011), 177–194.
- [153] G. Exoo, V. Junnila, and T. Laihonen. 2011. Locating-dominating codes in paths. *Discrete Mathematics* 311 (2011), 1863–1873. <https://doi.org/10.1016/j.disc.2011.05.004>

- [154] G. Exoo, V. Junnila, T. Laihonen, and S. Ranto. 2008. Locating vertices using codes. *Congressus Numerantium* 191 (2008), 143–159.
- [155] G. Exoo, V. Junnila, T. Laihonen, and S. Ranto. 2009. Upper bounds for binary identifying codes. *Advances in Applied Mathematics* 42 (2009), 277–289.
- [156] G. Exoo, V. Junnila, T. Laihonen, and S. Ranto. 2010. Improved bounds on identifying codes in binary Hamming spaces. *European Journal of Combinatorics* 31 (2010), 813–827.
- [157] G. Exoo, T. Laihonen, and S. Ranto. 2007. Improved upper bounds on binary identifying codes. *IEEE Transactions on Information Theory* IT-53 (2007), 4255–4260.
- [158] G. Exoo, T. Laihonen, and S. Ranto. 2008. New bounds on binary identifying codes. *Discrete Applied Mathematics* 156 (2008), 2250–2263.
- [159] T. Fahle and K. Tiemann. 2006. A faster branch-and-bound algorithm for the test-cover problem based on set-covering techniques. *ACM Journal of Experimental Algorithmics* 11 (2006).
- [160] M. Fazil, I. Javid, M. Salman, and U. Ali. 2016. Locating-dominating sets in hypergraphs. *Periodica Mathematica Hungarica* 72 (2016), 224–234.
- [161] N. Fazlollahi, D. Starobinski, and A. Trachtenberg. 2011. Connected identifying codes for sensor network monitoring. In *Proceedings of IEEE Wireless Communications and Networking Conference, WCNC 2011*. Cancun, Mexico, 1026–1031. <https://doi.org/10.1109/WCNC.2011.5779276>
- [162] N. Fazlollahi, D. Starobinski, and A. Trachtenberg. 2011. Connecting identifying codes and fundamental bounds. In *Proceedings of Information Theory and Applications Workshop, ITA 2011*. La Jolla, USA, 403–409. <https://doi.org/10.1109/ITA.2011.5743612>
- [163] N. Fazlollahi, D. Starobinski, and A. Trachtenberg. 2012. Connected identifying codes. *IEEE Transactions on Information Theory* IT-58 (2012), 4814–4824. <https://doi.org/10.1109/TIT.2012.2191934>
- [164] M. Feng, X. Ma, and L. Feng. 2022. Optimal identifying codes of two families of Cayley graphs. *Discrete Applied Mathematics* 320 (2022), 199–210.
- [165] M. Feng and K. Wang. 2014. Identifying codes of corona product graphs. *Discrete Applied Mathematics* 169 (2014), 88–96.
- [166] M. Feng, M. Xu, and K. Wang. 2012. Identifying codes of lexicographic product of graphs. *Electronic Journal of Combinatorics* 19, 4 (2012).
- [167] A. S. Finbow and B. L. Hartnell. 1988. On locating dominating sets and well-covered graphs. *Congressus Numerantium* 65 (1988), 191–200.
- [168] A. S. Finbow and B. L. Hartnell. 2000. Well-located graphs: a collection of well-covered ones. *Electronic Notes in Discrete Mathematics* 5 (2000), 120–122. [https://doi.org/10.1016/S1571-0653\(05\)80141-6](https://doi.org/10.1016/S1571-0653(05)80141-6)
- [169] A. S. Finbow and B. L. Hartnell. 2004. Well-located graphs: a collection of well-covered ones. *Discrete Mathematics* 276 (2004), 201–209. [https://doi.org/10.1016/S0012-365X\(03\)00297-8](https://doi.org/10.1016/S0012-365X(03)00297-8)
- [170] A. S. Finbow, B. L. Hartnell, and J. R. Young. 2021. The complexity of monitoring a network with both watchers and listeners. *Journal of Combinatorial Mathematics and Combinatorial Computing* 116 (2021), 233–244.
- [171] F. Foucaud. 2009. *Identifying codes in special graph classes*. Master’s thesis. Université de Bordeaux 1, Bordeaux, France.
- [172] F. Foucaud. 2012. *Aspects combinatoires et algorithmiques des codes identifiants dans les graphes*. Ph.D. Dissertation. Université de Bordeaux 1, Bordeaux, France.

- [173] F. Foucaud. 2013. The complexity of the identifying code problem in restricted graph classes. *Lecture Notes in Computer Science* (2013), 150–163.
- [174] F. Foucaud. 2015. Decision and approximation complexity for identifying codes and locating-dominating sets in restricted graph classes. *Journal of Discrete Algorithms* 31 (2015), 48–68. <https://doi.org/10.1016/j.jda.2014.08.004>
- [175] F. Foucaud, N. Ghareghani, A. Roshany-tabrizi, and P. Shariyani. 2021. Characterizing extremal graphs for open neighbourhood location-domination. *Discrete Applied Mathematics* 302 (2021), 76–79.
- [176] F. Foucaud, S. Gravier, R. Naserasr, A. Parreau, and P. Valicov. 2011. Edge identifying codes. *Electronic Notes in Discrete Mathematics* 38 (2011), 343–348.
- [177] F. Foucaud, S. Gravier, R. Naserasr, A. Parreau, and P. Valicov. 2013. Identifying codes in line graphs. *Journal of Graph Theory* 73 (2013), 425–448.
- [178] F. Foucaud, E. Guerrini, M. Kovše, R. Naserasr, A. Parreau, and P. Valicov. 2010. Classifying graphs with minimum identifying code of size $n - 1$. *Abstracts of the 8th French Combinatorial Conference* (2010).
- [179] F. Foucaud, E. Guerrini, M. Kovše, R. Naserasr, A. Parreau, and P. Valicov. 2010. On identifying codes and Bondy’s theorem on “induced subsets”. *Abstracts of the 8th French Combinatorial Conference* (2010).
- [180] F. Foucaud, E. Guerrini, M. Kovše, R. Naserasr, A. Parreau, and P. Valicov. 2011. Extremal graphs for the identifying code problem. *European Journal of Combinatorics* 32 (2011), 628–638.
- [181] F. Foucaud and M. A. Henning. 2016. Locating-total dominating sets in twin-free graphs: a conjecture. *Electronic Journal of Combinatorics* 23, 3 (2016).
- [182] F. Foucaud and M. A. Henning. 2016. Location-domination and matching in cubic graphs. *Discrete Mathematics* 339 (2016), 1221–1231. <https://doi.org/10.1016/j.disc.2015.11.016>
- [183] F. Foucaud and M. A. Henning. 2017. Location-domination in line graphs. *Discrete Mathematics* 340 (2017), 3140–3153. <https://doi.org/10.1016/j.disc.2016.05.020>
- [184] F. Foucaud, M. A. Henning, C. Löwenstein, and T. Sasse. 2016. Locating-dominating sets in twin-free graphs. *Discrete Applied Mathematics* 200 (2016), 52–58.
- [185] F. Foucaud, S. Heydarshahi, and A. Parreau. 2020. Domination and location in twin-free digraphs. *Discrete Applied Mathematics* 284 (2020), 42–52. <https://doi.org/10.1016/j.dam.2020.03.025>
- [186] F. Foucaud, I. Honkala, T. Laihonen, A. Parreau, and G. Perarnau. 2012. Locally identifying colourings for graphs with given maximum degree. *Discrete Mathematics* 312 (2012), 1832–1837.
- [187] F. Foucaud and R. Klasing. 2017. Parameterized and approximation complexity of the detection pair problem in graphs. *Journal of Graph Algorithms and Applications* 21, 6 (2017), 1039–1056.
- [188] F. Foucaud, R. Klasing, A. Kosowski, and A. Raspaud. 2012. On the size of identifying codes in triangle-free graphs. *Discrete Applied Mathematics* 160 (2012), 1532–1546. <https://doi.org/10.1016/j.dam.2012.02.009>
- [189] F. Foucaud and M. Kovše. 2010. On the identification of vertices in graphs using paths. *Abstracts of the 8th French Combinatorial Conference* (2010).
- [190] F. Foucaud and M. Kovše. 2012. On graph identification problems and the special case of identifying vertices using paths. *Lecture Notes in Computer Science* (2012), 32–45.
- [191] F. Foucaud and M. Kovše. 2013. Identifying path covers in graphs. *Journal of Discrete Algorithms* 23 (2013), 21–34. <https://doi.org/10.1016/j.jda.2013.07.006>

- [192] F. Foucaud, T. Laihonen, and A. Parreau. 2014. An improved lower bound for $(1, \leq 2)$ -identifying codes in the king grid. *Advances in Mathematics of Communications* 8 (2014), 35–52. <https://doi.org/10.3934/amc.2014.8.35>
- [193] F. Foucaud and T. Lehtilä. 2022. Revisiting and improving upper bounds for identifying codes. *SIAM Journal on Discrete Mathematics* 36, 4 (2022), 2619–2634. <https://doi.org/10.1137/22M148999X>
- [194] F. Foucaud, G. B. Mertzios, R. Naserasr, A. Parreau, and P. Valicov. 2016. Algorithms and complexity for metric dimension and location-domination on interval and permutation graphs. *Lecture Notes in Computer Science* (2016), 456–471.
- [195] F. Foucaud, G. B. Mertzios, R. Naserasr, A. Parreau, and P. Valicov. 2017. Identification, location-domination and metric dimension on interval and permutation graphs: I. Bounds. *Theoretical Computer Science* 668 (2017), 43–58.
- [196] F. Foucaud, G. B. Mertzios, R. Naserasr, A. Parreau, and P. Valicov. 2017. Identification, location-domination and metric dimension on interval and permutation graphs: II. Algorithms and complexity. *Algorithmica* 78 (2017), 914–944. <https://doi.org/10.1007/s00453-016-0184-1>
- [197] F. Foucaud, R. Naserasr, , and A. Parreau. 2013. Characterizing extremal digraphs for identifying codes and extremal cases of Bondy’s theorem on induced subsets. *Graphs and Combinatorics* 29 (2013), 463–473. <https://doi.org/10.1007/s00373-012-1136-4>
- [198] F. Foucaud and G. Perarnau. 2012. Bounds for identifying codes in terms of degree parameters. *Electronic Journal of Combinatorics* 19, 1 (2012).
- [199] F. Foucaud, G. Perarnau, and O. Serra. 2017. Random subgraphs make identification affordable. *Journal of Combinatorics* 8 (2017), 57–77.
- [200] M. Frick, G. H. Fricke, C. M. Mynhardt, and R. D. Skaggs. 2008. Critical graphs with respect to vertex identification. *Utilitas Mathematica* 76 (2008), 213–227.
- [201] A. Frieze, R. Martin, J. Moncel, M. Ruzinkó, and C. Smyth. 2007. Codes identifying sets of vertices in random networks. *Discrete Mathematics* 307 (2007), 1094–1107.
- [202] A. K. Abdul Gafur and S. W. Saputro. 2021. On locating-dominating set of regular graphs. *Journal of Mathematics* 2021 (2021), 6. <https://doi.org/10.1155/2021/8147514>
- [203] D. Garijo, A. González, and A. Márquez. 2014. The difference between the metric dimension and the determining number of a graph. *Applied Mathematics and Computation* 249 (2014), 487–501.
- [204] D. K. Garnick, Y. H. H. Kwong, and F. Lazebnik. 1993. Extremal graphs without three-cycles or four-cycles. *Journal of Graph Theory* 17 (1993), 633–645.
- [205] D. K. Garnick, Y. H. H. Kwong, and F. Lazebnik. 1995. Algorithmic search for extremal graphs of girth at least five. *Graph Theory, Combinatorics, and Applications: Proceedings of the 7th Quadrennial International Conference on the Theory and Applications of Graphs* 2 (1995), 697–709.
- [206] D. K. Garnick and N. A. Nieuwejaar. 1992. Nonisomorphic extremal graphs without three-cycles or four-cycles. *Journal of Combinatorial Mathematics and Combinatorial Computing* 12 (1992), 33–56.
- [207] M. Ghebleh and L. Niepel. 2013. Locating and identifying codes in circulant networks. *Discrete Applied Mathematics* 161 (2013), 2001–2007. <https://doi.org/10.1016/j.dam.2013.03.008>
- [208] M. Ghorbani, M. Dehmer, H. Maimani, S. Maddah, M. Roobayani, and F. Emmert-streib. 2020. The watching system as a generalization of identifying code. *Applied Mathematics and Computation* 380 (2020), 7.
- [209] M. Ghorbani and S. Maddah. 2021. On the watching number of graphs using discharging procedure. *Journal of Applied Mathematics and Computing* 67 (2021), 507–518. <https://doi.org/10.1007/s12190-020-01482-w>

- [210] J. Gimbel, B. D. Van gorden, M. Nicolescu, C. Umstead, and N. Vaiana. 2001. Location with dominating sets. *Congressus Numerantium* 151 (2001), 129–144.
- [211] R. M. Givens. 2018. *Mixed-weight open locating dominating sets*. Ph.D. Dissertation. The College of William and Mary, Virginia, USA.
- [212] R. M. Givens, R. K. Kincaid, W. Mao, and G. Yu. 2017. Mixed-weight open locating-dominating sets. *Proceedings of 51st Annual Conference on Information Sciences and Systems (CISS)* (2017), 1–6.
- [213] R. M. Givens, G. Yu, and R. K. Kincaid. 2022. Open-locating domination sets in circulant graphs. *Discussiones Mathematicae Graph Theory* 42, 1 (2022), 47–62.
- [214] V. Gledel and A. Parreau. 2019. Identification of points using disks. *Discrete Mathematics* 342, 1 (2019), 256–269. <https://doi.org/10.1016/j.disc.2018.10.002>
- [215] W. Goddard and K. Wash. 2013. ID codes in Cartesian products of cliques. *Journal of Combinatorial Mathematics and Combinatorial Computing* 85 (2013), 97–106.
- [216] A. González, C. Hernando, and M. Mora. 2018. Metric-locating-dominating sets of graphs for constructing related subsets of vertices. *Applied Mathematics and Computation* 332 (2018), 449–456.
- [217] R. Grappe, N. Brauner, and J. Moncel. 2008. Un problème de surveillance : modélisation et simulation avec la théorie des jeux. *Abstracts of 9ème Congrès de la Société Française de Recherche Opérationnelle et d’Aide à la Décision, ROADEF 08* (February 2008), 221–222.
- [218] S. Gravier, S. Janson, T. Laihonen, and S. Ranto. 2014. Graphs where every k -subset of vertices is an identifying set. *Discrete Mathematics and Theoretical Computer Science* 16 (2014), 73–88.
- [219] S. Gravier, R. Klasing, and J. Moncel. 2008. Hardness results and approximation algorithms for identifying codes and locating-dominating codes in graphs. *Algorithmic Operations Research* 3 (2008), 43–50.
- [220] S. Gravier, M. Kovše, M. Mollard, J. Moncel, and A. Parreau. 2013. New results on variants of covering codes in Sierpiński graphs. *Designs, Codes and Cryptography* 69 (2013), 181–188.
- [221] S. Gravier and J. Moncel. 2005. Construction of codes identifying sets of vertices. *Electronic Journal of Combinatorics* 12, 1 (2005). <https://doi.org/10.37236/1910>
- [222] S. Gravier and J. Moncel. 2007. On graphs having a $V \setminus \{x\}$ set as an identifying code. *Discrete Mathematics* 307 (2007), 432–434.
- [223] S. Gravier, J. Moncel, and A. Semri. 2006. Identifying codes of cycles. *European Journal of Combinatorics* 27 (2006), 767–776. <https://doi.org/10.1016/j.ejc.2004.09.005>
- [224] S. Gravier, J. Moncel, and A. Semri. 2008. Identifying codes of Cartesian product of two cliques of the same size. *Electronic Journal of Combinatorics* 15, 1 (2008).
- [225] S. Gravier, A. Parreau, S. Rottay, L. Storme, and E. Vandomme. 2015. Identifying codes in vertex-transitive graphs and strongly regular graphs. *Electronic Journal of Combinatorics* 22, 4 (2015).
- [226] Y. Hafidh and E. T. Baskoro. 2022. On the locating chromatic number of trees. *International Journal of Mathematics and Computer Science* 17 (2022), 377–394.
- [227] A. Hakanen, V. Junnila, and T. Laihonen. 2020. The solid-metric dimension. *Theoretical Computer Science* 806 (2020), 156–170. <https://doi.org/10.1016/j.tcs.2019.02.013>
- [228] A. Hakanen, V. Junnila, T. Laihonen, and I. G. Yero. 2022. On vertices contained in all or in no metric basis. *Discrete Applied Mathematics* 319 (2022), 407–423.
- [229] A. Hakanen and T. Laihonen. 2018. On $\{\ell\}$ -metric dimensions in graphs. *Fundamenta Informaticae* 162 (2018), 143–160.

- [230] B. V. Halldórsson, M. M. Halldórsson, and R. Ravi. 2001. On the approximability of the minimum collection problem. *Lecture Notes in Computer Science* 2161 (2001), 158–169.
- [231] F. Harary and R. A. Melter. 1976. On the metric dimension of a graph. *Ars Combinatoria* 2 (1976), 191–195.
- [232] F. Harary and R. A. Melter. 1977. Addendum to “On the metric dimension of a graph” (*Ars Combinatoria* 2 (1976) 191–195). *Ars Combinatoria* 4 (1977).
- [233] H. Hatami. 2005. $\Delta + 300$ is a bound on the adjacent vertex distinguishing edge chromatic number. *Journal of Combinatorial Theory, Series B* 95 (2005), 246–256.
- [234] F. Havet, N. Paramaguru, and R. Sampathkumar. 2014. Detection number of bipartite graphs and cubic graphs. *Discrete Mathematics and Theoretical Computer Science* 16, 3 (2014), 333–342. <https://doi.org/10.46298/dmtcs.642>
- [235] T. W. Haynes, S. T. Hedetniemi, and P. J. Slater. 1998. Fundamentals of Domination in Graphs. *CRC press* (1998). <https://doi.org/10.1201/9781482246582>
- [236] T. W. Haynes, M. A. Henning, and J. Howard. 2006. Locating and total dominating sets in trees. *Discrete Applied Mathematics* 154 (2006), 1293–1300.
- [237] T. W. Haynes, K. R. S. Holmes, D. R. Koessler, and L. Sewell. 2009. Locating-domination in complementary prisms of paths and cycles. *Congressus Numerantium* 199 (2009), 45–55.
- [238] J. Hedetniemi. 2016. On identifying codes in the Cartesian product of a path and a complete graph. *Journal of Combinatorial Optimization* 31 (2016), 1405–1416. <https://doi.org/10.1007/s10878-015-9830-9>
- [239] M. A. Henning and C. Löwenstein. 2012. Locating-total domination in claw-free cubic graphs. *Discrete Mathematics* 312 (2012), 3107–3116. <https://doi.org/10.1016/j.disc.2012.06.024>
- [240] M. A. Henning and O. R. Oellermann. 2004. Metric-locating-dominating sets in graphs. *Ars Combinatoria* 73 (2004), 129–141.
- [241] M. A. Henning and N. J. Rad. 2012. Locating-total domination in graphs. *Discrete Applied Mathematics* 160 (2012), 1986–1993.
- [242] M. A. Henning and A. Yeo. 2012. Identifying vertex covers in graphs. *Electronic Journal of Combinatorics* 19, 4 (2012).
- [243] M. A. Henning and A. Yeo. 2014. Distinguishing-transversal in hypergraphs and identifying open codes in cubic graphs. *Graphs and Combinatorics* 30 (2014), 909–932. <https://doi.org/10.1007/s00373-013-1311-2>
- [244] C. Hernando, M. Mora, and I. M. Pelayo. 2014. Nordhaus-Gaddum bounds for locating domination. *European Journal of Combinatorics* 36 (2014), 1–6. <https://doi.org/10.1016/j.ejc.2013.04.009>
- [245] C. Hernando, M. Mora, and I. M. Pelayo. 2015. On global location-domination in graphs. *Ars Mathematica Contemporanea* 8 (2015), 365–379.
- [246] C. Hernando, M. Mora, and I. M. Pelayo. 2019. Locating domination in bipartite graphs and their complements. *Discrete Applied Mathematics* 263 (2019), 195–203.
- [247] C. Hernando, M. Mora, I. M. Pelayo, C. Seara, and D. R. Wood. 2007. Extremal graph theory for metric dimension and diameter. *Electronic Notes in Discrete Mathematics* 29, 1 (2007), 339–343. <https://doi.org/10.1016/j.endm.2007.07.058>
- [248] S. Heydarshahi. 2018. *Location-domination in twin-free graphs and digraphs*. Master’s thesis.

- [249] A. Hissoum and A. Semri. 2013. Identifying codes of Cartesian product of two cliques. *Proceedings of 2013 International Conf. on Applied Mathematics and Computational Methods* (2013), 104–108.
- [250] H. Hocquard and M. Montassier. 2013. Adjacent vertex-distinguishing edge coloring of graphs with maximum degree Δ . *Journal of Combinatorial Optimization* 26 (2013), 152–160.
- [251] K. R. S. Holmes. 2009. *Locating-domination in complementary prisms*. Master’s thesis. East Tennessee State University, Tennessee, USA.
- [252] K. R. S. Holmes, D. R. Koessler, and T. W. Haynes. 2010. Locating-domination in complementary prisms. *Journal of Combinatorial Mathematics and Combinatorial Computing* 72 (2010), 163–171.
- [253] I. Honkala. 1999. On the identifying radius of codes. *Proceedings of the 7th Nordic Combinatorial Conference* (1999), 39–43.
- [254] I. Honkala. 2002. Triple systems identifying quadruples. *Australasian Journal of Combinatorics* 25 (2002), 303–316.
- [255] I. Honkala. 2004. An optimal edge-robust identifying code in the triangular lattice. *Annals of Combinatorics* 8 (2004), 303–323.
- [256] I. Honkala. 2006. A family of optimal identifying codes in Z^2 . *Journal of Combinatorial Theory, Series A* 113 (2006), 1760–1763. <https://doi.org/10.1016/j.jcta.2006.03.011>
- [257] I. Honkala. 2006. An optimal locating-dominating set in the infinite triangular grid. *Discrete Mathematics* 306 (2006), 2670–2681. <https://doi.org/10.1016/j.disc.2006.04.028>
- [258] I. Honkala. 2006. On 2-edge-robust r -identifying codes in the king grid. https://ajc.maths.uq.edu.au/pdf/36/ajc_v36_p151.pdf. *Australasian Journal of Combinatorics* 36 (2006), 151–165.
- [259] I. Honkala. 2009. On r -locating-dominating sets in paths. *European Journal of Combinatorics* 30 (2009), 1022–1025. <https://doi.org/10.1016/j.ejc.2008.04.011>
- [260] I. Honkala. 2010. An optimal strongly identifying code in the infinite triangular grid. *Electronic Journal of Combinatorics* 17, 1 (2010), 10. <https://doi.org/10.37236/363>
- [261] I. Honkala, O. Hudry, and A. Lobstein. 2015. On the ensemble of optimal dominating and locating-dominating codes in a graph. *Information Processing Letters* 115, 9 (2015), 699–702. <https://doi.org/10.1016/j.ipl.2015.04.005>
- [262] I. Honkala, O. Hudry, and A. Lobstein. 2015. On the number of optimal identifying codes in a twin-free graph. *Discrete Applied Mathematics* 180 (2015), 111–119. <https://doi.org/10.1016/j.dam.2014.08.020>
- [263] I. Honkala, O. Hudry, and A. Lobstein. 2016. On the ensemble of optimal identifying codes in a twin-free graph. *Cryptography and Communications – Discrete Structures, Boolean Functions and Sequences* 8 (2016), 139–153. <https://doi.org/10.1007/s12095-015-0148-3>
- [264] I. Honkala, M. G. Karpovsky, and L. B. Levitin. 2006. On robust and dynamic identifying codes. *IEEE Transactions on Information Theory* IT-52 (2006), 599–612.
- [265] I. Honkala, M. G. Karpovsky, and S. Litsyn. 2001. On the identification of vertices and edges using cycles. *Lecture Notes in Computer Science* 2227 (2001), 308–314. https://doi.org/10.1007/3-540-45624-4_32
- [266] I. Honkala, M. G. Karpovsky, and S. Litsyn. 2003. Cycles identifying vertices and edges in binary hypercubes and 2-dimensional tori. *Discrete Applied Mathematics* 129 (2003), 409–419.
- [267] I. Honkala and T. Laihonen. 2003. Codes for identification in the king lattice. *Graphs and Combinatorics* 19 (2003), 505–516. <https://doi.org/10.1007/s00373-003-0531-2>

- [268] I. Honkala and T. Laihonen. 2003. On identification of sets of vertices in the triangular grid. *Proceedings of Workshop on Coding and Cryptography 2003* (2003), 265–271.
- [269] I. Honkala and T. Laihonen. 2003. On the identification of sets of points in the square lattice. *Discrete and Computational Geometry* 29 (2003), 139–152. <https://doi.org/10.1007/s00454-002-0730-2>
- [270] I. Honkala and T. Laihonen. 2004. On identification in the triangular grid. *Journal of Combinatorial Theory, Series B* 91 (2004), 67–86. <https://doi.org/10.1016/j.jctb.2003.10.002>
- [271] I. Honkala and T. Laihonen. 2004. On identifying codes in the hexagonal mesh. *Information Processing Letters* 89 (2004), 9–14.
- [272] I. Honkala and T. Laihonen. 2004. On identifying codes in the triangular and square grids. *SIAM Journal on Computing* 33 (2004), 304–312. <https://doi.org/10.1137/S0097539703433110>
- [273] I. Honkala and T. Laihonen. 2006. On locating-dominating sets in infinite grids. *European Journal of Combinatorics* 27 (2006), 218–227. <https://doi.org/10.1016/j.ejc.2004.09.002>
- [274] I. Honkala and T. Laihonen. 2007. On a new class of identifying codes in graphs. *Information Processing Letters* 102 (2007), 92–98. <https://doi.org/10.1016/j.ipl.2006.11.007>
- [275] I. Honkala and T. Laihonen. 2007. On identifying codes that are robust against edge changes. *Information and Computation* 205 (2007), 1078–1095. <https://doi.org/10.1016/j.ic.2007.01.003>
- [276] I. Honkala and T. Laihonen. 2008. On identifying codes in the king grid that are robust against edge deletions. *Electronic Journal of Combinatorics* 15, 1 (2008).
- [277] I. Honkala and T. Laihonen. 2010. On vertex-robust identifying codes of level three. *Ars Combinatoria* 94 (2010), 115–127.
- [278] I. Honkala, T. Laihonen, and S. Ranto. 2001. Codes for strong identification. *Electronic Notes in Discrete Mathematics* 5 (2001), 262–270. [https://doi.org/10.1016/S1571-0653\(04\)00177-5](https://doi.org/10.1016/S1571-0653(04)00177-5)
- [279] I. Honkala, T. Laihonen, and S. Ranto. 2001. On codes identifying sets of vertices in Hamming spaces. *Designs, Codes and Cryptography* 24 (2001), 193–204.
- [280] I. Honkala, T. Laihonen, and S. Ranto. 2002. On strongly identifying codes. *Discrete Mathematics* 254 (2002), 191–205. [https://doi.org/10.1016/S0012-365X\(01\)00357-0](https://doi.org/10.1016/S0012-365X(01)00357-0)
- [281] I. Honkala, T. Laihonen, and S. Ranto. 2004. On locating-dominating codes in binary Hamming spaces. *Discrete Mathematics and Theoretical Computer Science* 6 (2004), 265–282.
- [282] I. Honkala and A. Lobstein. 2002. Identifying vertices in the n -cube. *Proceedings of the 8th International Workshop on Algebraic and Combinatorial Coding Theory* (2002), 198–201.
- [283] I. Honkala and A. Lobstein. 2002. On identifying codes in binary Hamming spaces. *Journal of Combinatorial Theory, Series A* 99 (2002), 232–243.
- [284] I. Honkala and A. Lobstein. 2002. On the complexity of the identification problem in Hamming spaces. *Acta Informatica* 38 (2002), 839–845.
- [285] I. Honkala and A. Lobstein. 2002. On the density of identifying codes in the square lattice. *Journal of Combinatorial Theory, Series B* 85, 2 (2002), 297–306. <https://doi.org/10.1006/jctb.2001.2106>
- [286] I. Honkala and A. Lobstein. 2003. On identification in Z^2 using translates of given patterns. *Journal of Universal Computer Science* 9, 10 (October 2003), 1204–1219.
- [287] V. Horan, S. Adachi, and S. Bak. 2016. A comparison of approaches for finding minimum identifying codes on graphs. *Quantum Information Processing* 15 (2016), 1827–1848.
- [288] J. M. Howard. 2004. *Locating and total dominating sets in trees*. Master’s thesis. East Tennessee State University, Tennessee, USA.

- [289] O. Hudry and A. Lobstein. 2016. More results on the complexity of identifying problems in graphs. *Theoretical Computer Science* 626 (2016), 1–12. <https://doi.org/10.1016/j.tcs.2016.01.021>
- [290] O. Hudry and A. Lobstein. 2019. Some results about a conjecture on identifying codes in complete suns. *International Transactions in Operational Research* 26 (2019), 732–746.
- [291] O. Hudry and A. Lobstein. 2019. Unique (optimal) solutions: Complexity results for identifying and locating-dominating codes. *Theoretical Computer Science* 767 (2019), 83–102. <https://doi.org/10.1016/j.tcs.2018.09.034>
- [292] O. Hudry and A. Lobstein. 2020. The compared costs of domination, location-domination and identification. *Discussiones Mathematicae Graph Theory* 40, 1 (2020), 127–147. <https://doi.org/10.7151/dmgt.2129>
- [293] O. Hudry and A. Lobstein. 2022. Some rainbow problems in graphs have complexity equivalent to satisfiability problems. *International Transactions in Operational Research* 29, 3 (2022), 1547–1572. <https://doi.org/10.1111/itor.12847>
- [294] N. Inayah, W. Aribowo, and M. M. Windra yahya. 2021. The locating chromatic number of book graph. *Journal of Mathematics* (2021), 3.
- [295] F. Mc inerney. 2019. *Domination and identification games in graphs*. Ph.D. Dissertation. Université Côte d’Azur, Nice, France.
- [296] H. Iswadi, E. T. Baskoro, and R. Simanjuntak. 2011. On the metric dimension of corona product of graphs. *Far East Journal of Mathematical Sciences* 52, 2 (2011), 155–170.
- [297] S. Janson and T. Laihonen. 2009. An optimal result for codes identifying sets of words. *Proceedings of the 2009 IEEE International Symposium on Information Theory* (2009), 2547–2551.
- [298] S. Janson and T. Laihonen. 2009. On the size of identifying codes in binary hypercubes. *Journal of Combinatorial Theory, Series A* 116 (2009), 1087–1096.
- [299] R. Jayagopal, I. Rajasingh, and R. S. Rajan. 2016. Domination parameters in hypertrees. *Lecture Notes in Computer Science* (2016), 299–307.
- [300] D. C. Jean and S. J. Seo. 2022. Extremal cubic graphs for fault-tolerant locating domination. *Theoretical Computer Science* 917 (2022), 94–106. <https://doi.org/10.1016/j.tcs.2022.03.014>
- [301] D. C. Jean and S. J. Seo. 2023. On Redundant Locating-Dominating Sets. *Discrete Applied Mathematics* 329 (2023), 106–125. <https://doi.org/10.1016/j.dam.2023.01.023>
- [302] D. C. Jean and S. J. Seo. 2023. Optimal error-detecting open-locating-dominating set on the infinite triangular grid. *Discussiones Mathematicae Graph Theory* 43, 2 (2023), 445–455. <https://doi.org/10.7151/dmgt.2374>
- [303] D. C. Jean and S. J. Seo. 2023. Progress on fault-tolerant locating-dominating sets. *Discrete Mathematics, Algorithms and Applications* 15, 2 (2023), 14. <https://doi.org/10.1142/S179383092250080X>
- [304] D. C. Jean and S. J. Seo. 2024. Fault-Tolerant Identifying Codes in Special Classes of Graphs. *Discussiones Mathematicae Graph Theory* 44, 2 (2024), 591–611. <https://doi.org/10.7151/dmgt.2465>
- [305] M. Jiang. 2018. Periodicity of identifying codes in strips. *Information Processing Letters* 135 (2018), 77–84. <https://doi.org/10.1016/j.ipl.2018.03.007>
- [306] V. Junnila. 2011. *On identifying and locating-dominating codes*. Ph.D. Dissertation. University of Turku, Turku, Finland.
- [307] V. Junnila. 2012. Adaptive identification of sets of vertices in graphs. *Discrete Mathematics and Theoretical Computer Science* 14, 1 (2012), 69–86. <https://doi.org/10.46298/dmtcs.574>

- [308] V. Junnila. 2013. New lower bound for 2-identifying code in the square grid. *Discrete Applied Mathematics* 161 (2013), 2042–2051.
- [309] V. Junnila. 2015. Optimal locating-total dominating sets in strips of height 3. *Discussiones Mathematicae Graph Theory* 35 (2015), 447–462. <https://doi.org/10.7151/dmgt.1805>
- [310] V. Junnila and T. Laihonen. 2011. Identification in Z^2 using Euclidean balls. *Discrete Applied Mathematics* 159 (2011), 335–343.
- [311] V. Junnila and T. Laihonen. 2012. Optimal identifying codes in cycles and paths. *Graphs and Combinatorics* 28 (2012), 469–481.
- [312] V. Junnila and T. Laihonen. 2012. Optimal lower bound for 2-identifying codes in the hexagonal grid. *Electronic Journal of Combinatorics* 19, 2 (2012).
- [313] V. Junnila and T. Laihonen. 2013. Optimal identification of sets of edges using 2-factors. *Discrete Mathematics* 313 (2013), 1636–1647.
- [314] V. Junnila and T. Laihonen. 2014. Codes for information retrieval with small uncertainty. *IEEE Transactions on Information Theory* IT-60 (2014), 976–985. <https://doi.org/10.1109/TIT.2013.2290045>
- [315] V. Junnila and T. Laihonen. 2015. Information retrieval with unambiguous output. *Information and Computation* 242 (2015), 354–368. <https://doi.org/10.1016/j.ic.2015.04.002>
- [316] V. Junnila and T. Laihonen. 2016. Collection of codes for tolerant location. *Proceedings of the Bordeaux Graph Workshop* (2016), 176–179.
- [317] V. Junnila and T. Laihonen. 2016. Information retrieval with varying number of input clues. *IEEE Transactions on Information Theory* IT-62 (2016), 625–638. <https://doi.org/10.1109/TIT.2015.2508800>
- [318] V. Junnila and T. Laihonen. 2016. Minimum number of input clues in robust information retrieval. *Fundamenta Informaticae* 145, 3 (2016), 243–256.
- [319] V. Junnila and T. Laihonen. 2020. Tolerant location detection in sensor networks. *Advances in Applied Mathematics* 112 (2020). <https://doi.org/10.1016/j.aam.2019.101938>
- [320] V. Junnila, T. Laihonen, and T. Lehtilä. 2018. On regular and new types of codes for location-domination. *Discrete Applied Mathematics* 247 (2018), 225–241. <https://doi.org/10.1016/j.dam.2018.03.050>
- [321] V. Junnila, T. Laihonen, and T. Lehtilä. 2019. New results on codes for location in graphs. *Proceedings of Russian Finnish Symposium on Discrete Mathematics* (2019), 105–116.
- [322] V. Junnila, T. Laihonen, and T. Lehtilä. 2019. On a conjecture regarding identification in Hamming graphs. *Electronic Journal of Combinatorics* 26, 2 (2019). <https://doi.org/10.37236/7828>
- [323] V. Junnila, T. Laihonen, and T. Lehtilä. 2021. On Levenshtein’s channel and list size in information retrieval. *IEEE Transactions on Information Theory* 67, 6 (2021), 3322–3341.
- [324] V. Junnila, T. Laihonen, and T. Lehtilä. 2022. Improved lower bound for locating-dominating codes in binary Hamming spaces. *Designs, Codes and Cryptography* 90 (2022), 67–85.
- [325] V. Junnila, T. Laihonen, T. Lehtilä, and M. L. Puertas. 2019. On stronger types of locating-dominating codes. *Discrete Mathematics and Theoretical Computer Science* 21, 1 (2019), 21. <https://doi.org/10.23638/DMTCS-21-1-1>
- [326] V. Junnila, T. Laihonen, and G. Paris. 2017. Location in circulant graphs. *Proceedings of the Fourth Russian-Finnish Symposium on Discrete Mathematics* (2017), 81–84.

- [327] V. Junnila, T. Laihonen, and G. Paris. 2019. Optimal bounds on codes for location in circulant graphs. *Cryptography and Communications* 11, 4 (2019), 621–640.
- [328] V. Junnila, T. Laihonen, and G. Paris. 2019. Solving two conjectures regarding codes for location in circulant graphs. *Discrete Mathematics and Theoretical Computer Science* 21, 3 (2019), 20.
- [329] V. Junnila, T. Laihonen, and A. Parreau. 2013. Tolerant identification with Euclidean balls. *Networks* 61 (2013), 212–225.
- [330] C. X. Kang and E. Yi. 2022. Distance- k locating-dominating sets in graphs. *Bulletin of the Institute of Combinatorics and its Applications* 95 (2022), 38–56.
- [331] M. G. Karpovsky, K. Chakrabarty, and L. B. Levitin. 1998. On a new class of codes for identifying vertices in graphs. *IEEE Transactions on Information Theory* IT-44 (1998), 599–611.
- [332] M. G. Karpovsky, K. Chakrabarty, L. B. Levitin, and D. R. Avresky. 1999. On the covering of vertices for fault diagnosis in hypercubes. *Information Processing Letters* 69 (1999), 99–103.
- [333] J. H. Kim, O. Pikhurko, J. H. Spencer, and O. Verbitsky. 2005. How complex are random graphs in first order logic? *Random Structures and Algorithms* 126 (2005), 119–145.
- [334] J. L. Kim and S. J. Kim. 2010. Identifying codes in q -ary hypercubes. *Bulletin of the Institute of Combinatorics and its Applications* 59 (2010), 93–102.
- [335] Y. Kim, M. Kumbhat, Z. L. Nagy, B. Patkós, A. Pokrovskiy, and M. Vizer. 2015. Identifying codes and searching with balls in graphs. *Discrete Applied Mathematics* 193 (2015), 39–47.
- [336] M. Kinawi, Z. Hussain, and L. Niepel. 2018. Minimal locating-paired-dominating sets in triangular and king grids. *Kuwait Journal of Science* 45, 3 (2018), 39–45.
- [337] R. Kincaid, A. Oldham, and G. Yu. 2015. Optimal open-locating-dominating sets in infinite triangular grids. *Discrete Applied Mathematics* 193 (2015), 139–144.
- [338] R. K. Kincaid and R. M. Givens. 2019. Tabu search for a mixed strength sensor location problem. *Proceedings of the 2019 MODSIM World Conference* (2019).
- [339] P. L. Lai. 2015. Paths and cycles identifying vertices in twisted cubes. *Applied Mathematics and Computation* 259 (2015), 620–627. <https://doi.org/10.1016/j.amc.2015.02.090>
- [340] M. Laifenfeld. 2007. *Coding for network applications: robust identification and distributed resource allocation*. Ph.D. Dissertation. University of Boston, Massachusetts, USA.
- [341] M. Laifenfeld. 2008. Localization and identification in networks using robust identifying codes. *Proceedings of Information Theory and Applications Workshop, ITA 2008* (2008), 165–174.
- [342] M. Laifenfeld and A. Trachtenberg. 2005. Disjoint identifying-codes for arbitrary graphs. *Proceedings of the 2005 IEEE International Symposium on Information Theory* (September 2005), 244–248.
- [343] M. Laifenfeld and A. Trachtenberg. 2008. Identifying codes and covering problems. *IEEE Transactions on Information Theory* 54, 9 (2008), 3929–3950. <https://doi.org/10.1109/TIT.2008.928263>
- [344] M. Laifenfeld, A. Trachtenberg, and T. Y. Berger-wolf. 2006. Identifying codes and the set cover problem. In *Proceedings of the 44th Annual Allerton Conf. on Communication, Control and Computing*. Monticello, USA.
- [345] M. Laifenfeld, A. Trachtenberg, R. Cohen, and D. Starobinski. 2007. Joint monitoring and routing in wireless sensor networks using robust identifying codes. In *Proceedings of IEEE Broadnets 2007*. Raleigh, North Carolina, USA, 197–206.
- [346] T. Laihonen. 2002. Optimal codes for strong identification. *European Journal of Combinatorics* 23 (2002), 307–313.

- [347] T. Laihonen. 2002. Sequences of optimal identifying codes. *IEEE Transactions on Information Theory* IT-48 (2002), 774–776.
- [348] T. Laihonen. 2005. On optimal edge-robust and vertex-robust $(1, \leq \ell)$ -identifying codes. *SIAM Journal on Discrete Mathematics* 18 (2005), 825–834.
- [349] T. Laihonen. 2006. On robust identification in the square and king grids. *Discrete Applied Mathematics* 154, 17 (2006), 2499–2510. <https://doi.org/10.1016/j.dam.2006.03.037>
- [350] T. Laihonen. 2006. Optimal t -edge-robust r -identifying codes in the king lattice. *Graphs and Combinatorics* 22 (2006), 487–496.
- [351] T. Laihonen. 2007. On edge-robust $(1, \leq \ell)$ -identifying codes in binary Hamming spaces. *International Journal of Pure and Applied Mathematics* 36 (2007), 87–102.
- [352] T. Laihonen. 2008. On cages admitting identifying codes. *European Journal of Combinatorics* 29, 3 (2008), 737–741. <https://doi.org/10.1016/j.ejc.2007.02.016>
- [353] T. Laihonen. 2016. The metric dimension for resolving several objects. *Information Processing Letters* 116, 11 (2016), 694–700.
- [354] T. Laihonen. 2017. Information retrieval and the average number of input clues. *Advances in Mathematics of Communications* 11 (2017), 203–223.
- [355] T. Laihonen. 2019. On t -revealing codes in binary Hamming spaces. *Information and Computation* 268 (2019), 11.
- [356] T. Laihonen and J. Moncel. 2008. On graphs admitting codes identifying sets of vertices. *Australasian Journal of Combinatorics* 41 (2008), 81–91.
- [357] T. Laihonen and S. Ranto. 2001. Codes identifying sets of vertices. *Lecture Notes in Computer Science* (2001), 82–91.
- [358] T. Laihonen and S. Ranto. 2002. Families of optimal codes for strong identification. *Discrete Applied Mathematics* 121 (2002), 203–213. [https://doi.org/10.1016/S0166-218X\(01\)00248-7](https://doi.org/10.1016/S0166-218X(01)00248-7)
- [359] T. Laihonen and S. Ranto. 2007. Codes identifying sets of binary words with large radii. *Proceedings of Workshop on Coding and Cryptography 2007* (2007), 215–224.
- [360] K. B. Lakshmanan, D. J. Rosenkratz, and S. S. Ravi. 2000. Alarm placement in systems with fault propagation. *Theoretical Computer Science* 243 (2000), 269–288.
- [361] S. M. Lane. 2006. *Trees with unique minimum locating-dominating sets*. Master’s thesis. East Tennessee State University, Tennessee, USA.
- [362] M. S. Li, E. F. Shan, and M. J. Gao. 2008. Bounds for fault-tolerant locating-dominating sets. *Journal of Shanghai University. Natural Science* 14, 6 (2008), 611–616.
- [363] A. Lobstein, O. Hudry, and I. Charon. 2020. Locating-Domination and Identification. *Topics in Domination in Graphs* (2020), 251–299. T. Haynes, S. Hedetniemi and M. Henning, Eds..
- [364] M. Lu, J. Xu, and Y. Zhang. 2019. Identifying codes in the direct product of a complete graph and some special graphs. *Discrete Applied Mathematics* 254 (2019), 175–182.
- [365] S. Maddah, M. Ghorbani, and M. Dehmer. 2021. New results of identifying codes in product graphs. *Applied Mathematics and Computation* 410 (2021), 7.
- [366] P. Manuel. 2011. Locating and liar domination of circulant networks. *Ars Combinatoria* 101 (2011), 309–320.
- [367] R. Martin and B. Stanton. 2010. Lower bounds for identifying codes in some infinite grids. *Electronic Journal of Combinatorics* 17, 1 (2010).

- [368] J. McCoy and M. A. Henning. 2009. Locating and paired-dominating sets in graphs. *Discrete Applied Mathematics* 157 (2009), 3268–3280.
- [369] M. Milanič, R. Rizzi, and A. I. Tomescu. 2014. Set graphs. II. Complexity of set graph recognition and similar problems. *Theoretical Computer Science* 547 (2014), 70–81.
- [370] M. Milanič and A. I. Tomescu. 2013. Set graphs. I. Hereditarily finite sets and extensional acyclic orientations. *Discrete Applied Mathematics* 161 (2013), 677–690.
- [371] M. Miller, R. S. Rajan, R. Jayagopal, I. Rajasingh, and P. Manuel. 2017. A note on the locating-total domination in graphs. *Discussiones Mathematicae Graph Theory* 37 (2017), 745–754.
- [372] M. Mimouni, N. Ikhlef-eschouf, and M. Zamime. 2022. On connected $3-\gamma_L$ -dot-critical graphs. *Bulletin of the Iranian Mathematical Society* 48 (2022), 979–991. <https://doi.org/10.1007/s41980-021-00558-y>
- [373] D. A. Mojdeh. 2022. On the conjectures of neighbor locating coloring of graphs. *Theoretical Computer Science* 922 (2022), 300–307.
- [374] J. Moncel. 2005. Codes identifiants dans les graphes. *Thèse de Doctorat* (June 2005), 165.
- [375] J. Moncel. 2005. Codes identifying vertices in graphs. In *Proceedings of the 7th International Colloquium on Graph Theory*. Giens, France.
- [376] J. Moncel. 2006. Constructing codes identifying sets of vertices. *Designs, Codes and Cryptography* 41 (2006), 23–31.
- [377] J. Moncel. 2006. Monotonicity of the minimum cardinality of an identifying code in the hypercube. *Discrete Applied Mathematics* 154 (2006), 898–899.
- [378] J. Moncel. 2006. On graphs on n vertices having an identifying code of cardinality $\lceil \log_2(n+1) \rceil$. *Discrete Applied Mathematics* 154 (2006), 2032–2039.
- [379] J. Moncel and M. Ruzinkó. 2004. Codes identifiant des ensembles de sommets. *Les Cahiers du Laboratoire Leibniz* (2004), 65–67.
- [380] B. M. E. Moret and H. D. Shapiro. 1985. On minimizing a set of tests. *SIAM Journal on Scientific and Statistical Computing* 6 (1985), 983–1003.
- [381] T. Müller and J. S. Sereni. 2009. Identifying and locating-dominating codes in (random) geometric networks. *Combinatorics, Probability and Computing* 18 (2009), 925–952. <https://doi.org/10.1017/S0963548309990344>
- [382] M. Murtaza, M. Fazil, and I. Javaid. 2019. Locating-dominating sets of functigraphs. *Theoretical Computer Science* 799 (2019), 115–123.
- [383] M. Murtaza, I. Javaid, and M. Fazil. 2020. Covering codes of a graph associated to a finite vector space. *Ukrainian Mathematical Journal* 72, 7 (2020), 1108–1117.
- [384] S. Muthammai and N. Meenal. 2012. Co-isolated locating domination number for some standard graphs. *National Conference on Applications of Mathematics and Computer Science (NCAMCS-2012)* (February 2012), 60–61.
- [385] S. Muthammai and N. Meenal. 2012. Co-isolated locating domination number of a graph. In *Proceedings of the UGC Sponsored National Seminar on Applications in Graph Theory*. Tiruchirappalli, India, 7–9.
- [386] S. Muthammai and N. Meenal. 2015. Co-isolated locating domination number for the complement of a doubly connected graph. *International Journal of Mathematics and Scientific Computing* 5, 1 (2015), 57–59.

- [387] L. Niepel. 2015. Locating-paired-dominating sets in square grids. *Discrete Mathematics* 338, 10 (2015), 1699–1705. <https://doi.org/10.1016/j.disc.2014.07.009>
- [388] R. Nikandish, O. Khani nasab, and E. Dodonge. 2020. Minimum identifying codes in some graphs differing by matchings. *Discrete Mathematics, Algorithms and Applications* 12, 3 (2020), 8.
- [389] W. Ning, M. Lu, and J. Guo. 2016. Bounds on the differentiating-total domination number of a tree. *Discrete Applied Mathematics* 200 (2016), 153–160.
- [390] W. Ning, M. Lu, and J. Guo. 2017. Locating and differentiating-total dominating sets in unicyclic graphs. *Ars Combinatoria* 132 (2017), 241–255.
- [391] W. Ning, M. Lu, and K. Wang. 2019. Bounding the locating-total domination number of a tree in terms of its annihilation number. *Discussiones Mathematicae Graph Theory* 39 (2019), 31–40.
- [392] B. N. Omamalin, Jr. S. R. Canoy, , and H. M. Rara. 2014. Differentiating total domination in graphs: Revisited. *International Journal of Mathematical Analysis* 8 (2014), 2789–2798.
- [393] B. N. Omamalin, Jr. S. R. Canoy, , and H. M. Rara. 2014. Locating total dominating sets in the join, corona and composition of graphs. *Applied Mathematical Sciences (Ruse)* 8, 48 (2014), 2363–2374.
- [394] B. S. Panda and A. Pandey. 2017. Algorithmic aspects of open neighbourhood location-domination in graphs. *Discrete Applied Mathematics* 216, 1 (2017), 290–306.
- [395] A. Pandey. 2015. Open neighborhood locating-dominating set in graphs: Complexity and algorithms. In *Proceedings of the 14th International Conference on Information Technology (ICIT 2015)*. Bhubaneswar, India, 1–6.
- [396] G. Paris. 2018. *Resolution of some optimisation problems on graphs and combinatorial games*. Ph.D. Dissertation. Université Claude Bernard Lyon 1, Lyon, France.
- [397] A. Parreau. 2012. *Problèmes d’identification dans les graphes*. Ph.D. Dissertation. Université de Grenoble, Grenoble, France.
- [398] M. Pastori. 2010. Les codes identifiants ou comment sauver le Palais des flammes? *Découverte* 369 (2010), 56–59.
- [399] R. W. Payne and D. A. Preece. 1980. Identification keys and diagnostic tables: a review. *Journal of the Royal Statistical Society, Series A* 143 (1980), 253–292. <https://doi.org/10.2307/2982129>
- [400] I. M. Pelayo. 2010. Locating domination in graphs. *Abstracts of the 8th French Combinatorial Conference* (2010), 1.
- [401] M. Pelto. 2010. New bounds for $(r, \leq 2)$ -identifying codes in the infinite king grid. *Cryptography and Communications* 2 (2010), 41–47.
- [402] M. Pelto. 2011. On locating-dominating codes for locating large numbers of vertices in the infinite king grid. *Australasian Journal of Combinatorics* 50 (2011), 127–139.
- [403] M. Pelto. 2012. *On identifying and locating-dominating codes in the infinite king grid*. Ph.D. Dissertation. University of Turku, Turku, Finland.
- [404] M. Pelto. 2012. On $(r, \leq 2)$ -locating-dominating codes in the infinite king grid. *Advances in Mathematics of Communications* 6 (2012), 27–38.
- [405] M. Pelto. 2013. Optimal $(r, \leq 3)$ -locating-dominating codes in the infinite king grid. *Discrete Applied Mathematics* 161 (2013), 2597–2603.
- [406] M. Pelto. 2014. Optimal identifying codes in the infinite 3-dimensional king grid. *European Journal of Combinatorics* 36 (2014), 641–659.

- [407] M. Pelto. 2015. Maximum difference about the size of optimal identifying codes in graphs differing by one vertex. *Discrete Mathematics and Theoretical Computer Science* 17, 1 (2015), 339–356.
- [408] M. Pelto. 2016. On locating-dominating codes in the infinite king grid. *Ars Combinatoria* 124 (2016), 353–363.
- [409] M. Pelto. 2017. The number of completely different optimal identifying codes in the infinite square grid. *Discrete Applied Mathematics* 233 (2017), 143–158.
- [410] S. Pirzada, R. Raja, and S. Redmond. 2014. Locating sets and numbers of graphs associated to commutative rings. *Journal of Algebra and Its Applications* 13, 7 (2014), 18. <https://doi.org/10.1142/S0219498814500479>
- [411] L. Q. Pu and Y. L. Chai. 2013. Bounds of r -identifying and r -locating-dominating codes in the Kronecker product graph of cy_n and \bar{k}_2 . *Journal of Zhengzhou University. Natural Science* 45 (2013), 10–12.
- [412] N. J. Rad and H. Rahbani. 2018. Bounds on the locating-domination number and differentiating-total domination number in trees. *Discussiones Mathematicae Graph Theory* 38 (2018), 455–462.
- [413] H. Rahbani, N. J. Rad, and S. M. Mirrezaei. 2019. Bounds on the identifying codes in trees. *Graphs and Combinatorics* 35 (2019), 599–609.
- [414] H. Rahbani, N. J. Rad, and M. R. Sadeghi. 2019. A note on the complexity of locating-total domination in graphs. *Theoretical Computer Science* 799 (2019), 32–39.
- [415] H. Rahbani, A. Taherifar, and N. J. Rad. 2021. Trees with no locating Roman domination critical vertices. *Iranian Journal of Science and Technology, Transaction A* 45, 2 (2021), 585–592.
- [416] R. Raja, S. Pirzada, and S. Redmond. 2016. On locating numbers and codes of zero divisor graphs associated with commutative rings. *Journal of Algebra and Its Applications* 15, 1 (2016), 22.
- [417] G. Rajasekar and K. Nagarajan. 2019. Location domination number of line graph. *Journal of Discrete Mathematical Sciences and Cryptography* 22, 5 (2019), 777–786.
- [418] I. Rajasingh, R. Jayagopal, and R. S. Rajan. 2020. Domination parameters in hypertrees and sibling trees. *Discrete Applied Mathematics* 280 (2020), 237–245.
- [419] D. F. Rall and P. J. Slater. 1984. On location-domination numbers for certain classes of graphs. *Congressus Numerantium* 45 (1984), 97–106.
- [420] D. F. Rall and K. Wash. 2014. Identifying codes of the direct product of two cliques. *European Journal of Combinatorics* 36 (2014), 159–171.
- [421] D. F. Rall and K. Wash. 2017. On minimum identifying codes in some Cartesian product graphs. *Graphs and Combinatorics* 33 (2017), 1037–1053.
- [422] S. Ranto. 2003. Optimal linear identifying codes. *IEEE Transactions on Information Theory* IT-49 (2003), 1544–1547.
- [423] S. Ranto. 2007. *Identifying and locating-dominating codes in binary Hamming spaces*. Ph.D. Dissertation. University of Turku, Turku, Finland.
- [424] S. Ranto. 2011. On binary linear r -identifying codes. *Designs, Codes and Cryptography* 60 (2011), 81–89.
- [425] S. Ranto, I. Honkala, and T. Laihonon. 2002. Two families of optimal identifying codes in binary Hamming spaces. *IEEE Transactions on Information Theory* IT-48 (2002), 1200–1203.
- [426] N. S. V. Rao. 1993. Computational complexity issues in operative diagnosis of graph-based systems. *IEEE Transactions on Computers* 42 (1993), 447–457.

- [427] A. Raspaud and L. D. Tong. 2012. The minimum identifying code graphs. *Discrete Applied Mathematics* 160 (2012), 1385–1389.
- [428] S. Ray, D. Starobinski, A. Trachtenberg, and R. Ungrangsi. 2004. Robust location detection with sensor networks. *IEEE Journal on Selected Areas in Communications* 22, 6 (2004), 1016–1025.
- [429] S. Ray, R. Ungrangsi, F. De pellegrini, A. Trachtenberg, and D. Starobinski. 2003. Robust location detection in emergency sensor networks. In *Proceedings of INFOCOM 2003*. San Francisco, California, USA, 1044–1053.
- [430] H. Raza. 2021. Computing open locating-dominating number of some rotationally-symmetric graphs. *Mathematics* 9, 12 (2021), 12.
- [431] H. Raza, S. Hayat, and X. F. Pan. 2018. Binary locating-dominating sets in rotationally-symmetric convex polytopes. *Symmetry* 10, 12 (2018), 18. <https://doi.org/10.3390/sym10120727>
- [432] D. L. Roberts and F. S. Roberts. 2008. Locating sensors in paths and cycles: the case of 2-identifying codes. *European Journal of Combinatorics* 29 (2008), 72–82.
- [433] M. L. Roden and P. J. Slater. 2009. Liar’s domination in graphs. *Discrete Mathematics* 309 (2009), 5884–5890.
- [434] M. Roozbayani and H. R. Maimani. 2017. Identifying codes and watching systems in Kneser graphs. *Discrete Mathematics, Algorithms and Applications* 9 (2017).
- [435] M. Roozbayani, H. R. Maimani, and A. Tehranian. 2014. Watching systems of triangular graphs. *Transactions on Combinatorics* 3 (2014), 51–57.
- [436] P. Rosendahl. 2003. On the identification of vertices using cycles. *Electronic Journal of Combinatorics* 10, 1 (2003).
- [437] P. Rosendahl. 2004. On the identification problems in products of cycles. *Discrete Mathematics* 275 (2004), 277–288.
- [438] Jr. S. R. Canoy and G. A. Malacas. 2013. Determining the intruders location in a given network: Locating-dominating sets in a graph. *NCRP Research Journal* 13, 1 (2013), 1–8.
- [439] Jr. S. R. Canoy and G. A. Malacas. 2015. Differentiating-dominating sets in graphs under binary operations. *Tamkang Journal of Mathematics* 46 (2015), 51–60.
- [440] Jr. S. R. Canoy and G. P. Salasalan. 2022. Locating-hop domination in graphs. *Kyungpook Mathematical Journal* 62 (2022), 193–204.
- [441] A. Lj. Savić, Z. Lj. Maksimović, and M. S. Bogdanović. 2018. The open-locating-dominating number of some convex polytopes. *Filomat* 32, 2 (2018), 635–642.
- [442] S. M. Seager. 2012. Locating a robber on a graph. *Discrete Mathematics* 312 (2012), 3265–3269.
- [443] S. M. Seager. 2013. A sequential locating game on graphs. *Ars Combinatoria* 110 (2013), 45–54.
- [444] S. M. Seager. 2014. Locating a backtracking robber on a tree. *Theoretical Computer Science* 539 (2014), 28–37.
- [445] S. J. Seo. 2018. Open-locating-dominating sets in the infinite king grid. *Journal of Combinatorial Mathematics and Combinatorial Computing* 104 (2018), 31–47.
- [446] S. J. Seo. 2021. Fault-tolerant detectors for distinguishing sets in cubic graphs. *Discrete Applied Mathematics* 293 (2021), 25–33.
- [447] S. J. Seo and P. J. Slater. 2010. Open neighborhood locating-dominating sets. *Australasian Journal of Combinatorics* 46 (2010), 109–119.

- [448] S. J. Seo and P. J. Slater. 2011. Open neighborhood locating-dominating in trees. *Discrete Applied Mathematics* 159 (2011), 484–489.
- [449] S. J. Seo and P. J. Slater. 2011. Open neighborhood locating-domination for infinite cylinders. In *Proceedings of the 49th Annual Southeast Regional Conference*. ACM, Atlanta, Georgia, USA, 334–335. <https://doi.org/10.1145/2016039.2016134>
- [450] S. J. Seo and P. J. Slater. 2012. Graphical parameters for classes of tumbling block graphs. *Congressus Numerantium* 213 (2012), 155–168.
- [451] S. J. Seo and P. J. Slater. 2012. Open neighborhood locating-domination for grid-like graphs. *Bulletin of the Institute of Combinatorics and its Applications* 65 (2012), 89–100.
- [452] S. J. Seo and P. J. Slater. 2013. Open locating-dominating interpolation for trees. *Congressus Numerantium* 215 (2013), 145–152.
- [453] S. J. Seo and P. J. Slater. 2014. OLD trees with maximum degree three. *Utilitas Mathematica* 94 (2014), 361–380.
- [454] S. J. Seo and P. J. Slater. 2015. Fault tolerant detectors for distinguishing sets in graphs. *Discussiones Mathematicae Graph Theory* 35 (2015), 797–818.
- [455] S. J. Seo and P. J. Slater. 2017. Open-independent, open-locating-dominating sets. *Electronic Journal of Graph Theory and Applications* 5 (2017), 179–193.
- [456] S. J. Seo and P. J. Slater. 2018. Generalized set dominating and separating systems. *Journal of Combinatorial Mathematics and Combinatorial Computing* 104 (2018), 15–29.
- [457] J. L. Sewell and P. J. Slater. 2010. Locating mobile intruders using dominating sets. *Journal of Combinatorial Mathematics and Combinatorial Computing* 74 (2010), 253–267.
- [458] J. L. Sewell and P. J. Slater. 2014. A sharp lower bound for locating-dominating sets in trees. *Australasian Journal of Combinatorics* 60 (2014), 136–149.
- [459] A. Shaminejad and E. Vatandoost. 2022. The identifying code number and functigraphs. *Journal of Algebraic Systems* 10 (2022), 155–166.
- [460] A. Shaminejad, E. Vatandoost, and K. Mirasheh. 2022. The identifying code number and Mycielski’s construction of graphs. *Transactions on Combinatorics* 11 (2022), 309–316.
- [461] N. V. Shinde, S. A. Mane, and B. N. Waphare. 2023. Identifying codes in the direct product of a path and a complete graph. *Discussiones Mathematicae Graph Theory* 43, 2 (2023), 463–486.
- [462] N. V. Shinde and B. N. Waphare. 2020. Improved upper bounds for identifying codes in n -dimensional q -ary cubes. *International Journal of Applied and Computational Mathematics* 6, 2 (2020), 11.
- [463] A. Simić, M. Bogdanović, and J. Milosević. 2017. The binary locating-dominating number of some convex polytopes. *Ars Mathematica Contemporanea* 13 (2017), 367–377.
- [464] R. D. Skaggs. 2007. *Identifying vertices in graphs and digraphs*. Ph.D. Dissertation. University of South Africa, Pretoria, South Africa.
- [465] P. J. Slater. 1975. Leaves of trees. *Congressus Numerantium* 14 (1975), 549–559.
- [466] P. J. Slater. 1983. Domination and location in graphs. *National University of Singapore* (April 1983).
- [467] P. J. Slater. 1987. Domination and location in acyclic graphs. *Networks* 17 (1987), 55–64.
- [468] P. J. Slater. 1988. Dominating and reference sets in a graph. *Journal of Mathematical and Physical Sciences* 22 (1988), 445–455.

- [469] P. J. Slater. 1995. Locating dominating sets and locating-dominating sets. *Graph Theory, Combinatorics, and Applications: Proceedings of the 7th Quadrennial International Conference on the Theory and Applications of Graphs 2* (1995), 1073–1079.
- [470] P. J. Slater. 2002. Fault-tolerant locating-dominating sets. *Discrete Mathematics* 249 (2002), 179–189.
- [471] P. J. Slater. 2009. Liar’s domination. *Networks* 54 (2009), 70–74.
- [472] P. J. Slater. 2013. A framework for faults in detectors within network monitoring systems. *WSEAS Transactions on Mathematics* 12 (2013), 911–916.
- [473] P. J. Slater and J. L. Sewell. 2014. A sharp lower bound for locating-dominating sets in trees. *Australasian Journal of Combinatorics* 60 (2014), 136–149.
- [474] P. J. Slater and J. L. Sewell. 2018. Independent locating-dominating sets and identifying codes in graphs. *Journal of Combinatorial Mathematics and Combinatorial Computing* 104 (2018), 261–272.
- [475] S. J. Song, X. Ning, and P. Cheng. 2022. Locating and identifying codes in dihedral graphs. *Applied Mathematics and Computation* 416 (2022), 8. <https://doi.org/10.1016/j.amc.2021.126752>
- [476] S. J. Song, W. Zhang, and C. Xu. 2021. Locating and identifying codes in circulant graphs. *Discrete Dynamics in Nature and Society* 2021 (2021), 9.
- [477] Justin Southey and Michael A. Henning. 2010. On a conjecture on total domination in claw-free cubic graphs. *Discrete Mathematics* 310, 21 (2010), 2984–2999. <https://doi.org/10.1016/j.disc.2010.07.006>
- [478] B. Stanton. 2011. Improved bounds for r -identifying codes of the hex grid. *SIAM Journal on Discrete Mathematics* 25 (2011), 159–169.
- [479] B. Stanton. 2011. *On vertex identifying codes for infinite lattices*. Ph.D. Dissertation. Iowa State University, Iowa, USA.
- [480] B. Stanton. 2012. Vertex identifying codes for the n -dimensional lattice. *Australasian Journal of Combinatorics* 53 (2012), 299–307.
- [481] D. P. Sumner. 1973. Point determination in graphs. *Discrete Mathematics* 5 (1973), 179–187.
- [482] J. Suomela. 2007. Approximability of identifying codes and locating-dominating codes. *Information Processing Letters* 103 (2007), 28–33.
- [483] B. Sweigart and R. Kincaid. 2018. Maximum covering formulation for open locating dominating sets. In *Operations Research Proceedings 2016*. Springer, Cham, Switzerland, 259–264. https://doi.org/10.1007/978-3-319-55702-1_35
- [484] B. Sweigart, J. Presnell, and R. Kincaid. 2014. An integer program for open locating dominating sets and its results on the hexagon-triangle infinite grid and other graphs. In *2014 Systems and Information Engineering Design Symposium (SIEDS)*. IEEE, Charlottesville, USA, 29–32. <https://doi.org/10.1109/SIEDS.2014.6829887>
- [485] D. B. Sweigart. 2019. *Optimization approaches for open-locating dominating sets*. Ph.D. Dissertation. The College of William and Mary, Virginia, USA.
- [486] K. Thulasiraman, M. Xu, Y. Xiao, and X. D. Hu. 2006. Vertex identifying codes for fault isolation in communication networks. *Proceedings of the International Conference on Discrete Mathematics and Applications (ICDM 2006)* (2006), 14.
- [487] L. D. Tong. 2014. Automorphisms of neighborhood sequence of a graph. In *Proceedings of Bordeaux Graph Workshop*. Bordeaux, France, 133–134. <https://doi.org/10.11650/tjm.19.2015.4816>

- [488] R. Ungrangsi. 2003. *Location detection in emergency sensor networks using robust identifying codes*. Master's thesis. Boston University, Massachusetts, USA.
- [489] R. Ungrangsi, A. Trachtenberg, and D. Starobinski. 2004. An implementation of indoor location detection systems based on identifying codes. *Lecture Notes in Computer Science* 3283 (2004), 175–189. https://doi.org/10.1007/978-3-540-30179-0_16
- [490] P. Valicov. 2012. *Problèmes de placement, de coloration et d'identification*. Ph.D. Dissertation. Université de Bordeaux 1, Bordeaux, France.
- [491] M. Vandermeer. 2018. *Codes identifiants de graphes*. Master's thesis. Université de Liège, Belgique, Belgium.
- [492] K. Wash. 2014. *Identifying codes and domination in the product of graphs*. Ph.D. Dissertation. Clemson University, South Carolina, USA.
- [493] Y. Xiao, C. Hadjicostis, and K. Thulasiraman. 2006. The d -identifying codes problem for vertex identification in graphs: probabilistic analysis and an approximation algorithm. In *Proceedings of COCOON 2006, 12th Annual International Computing and Combinatorics Conference*. Springer, Taipei, Taiwan, 284–298. https://doi.org/10.1007/11809678_31
- [494] H. Xing and M. Y. Sohn. 2014. Bounds on locating-total domination number of the Cartesian product of cycles. *Ars Combinatoria* 113A (2014), 139–146.
- [495] H. Xing and M. Y. Sohn. 2015. Bounds on locating total domination number of the Cartesian product of cycles and paths. *Information Processing Letters* 115, 12 (2015), 950–956.
- [496] M. Xu, K. Thulasiraman, and X. D. Hu. 2008. Identifying codes of cycles with odd orders. *European Journal of Combinatorics* 29 (2008), 1717–1720.
- [497] Y.-C. Xu and R.-B. Xiao. 2007. Identifying code for directed graph. *Proceedings of Eighth ACIS International Conference on Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing (SNPD 2007)* 2 (2007), 97–101.
- [498] Y.-C. Xu and R.-B. Xiao. 2007. Solving the identifying code problem by a genetic algorithm. *IEEE Transactions on Systems, Man and Cybernetics* 37, 1 (2007), 41–46.
- [499] E. Yaakobi and J. Bruck. 2012. On the uncertainty of information retrieval in associative memories. *Proceedings of the 2012 IEEE International Symposium on Information Theory* (2012), 106–110.
- [500] E. Yaakobi and J. Bruck. 2018. On the uncertainty of information retrieval in associative memories. *IEEE Transactions on Information Theory* IT-65, 4 (2018), 2155–2165.
- [501] J. Yao, X. Yu, G. Wang, and C. Xu. 2017. Neighbor sum distinguishing total coloring of 2-degenerate graphs. *Journal of Combinatorial Optimization* 34 (2017), 64–70.
- [502] L. Zakrevski and M. G. Karpovsky. 1998. Fault-tolerant message routing for multiprocessors. *Parallel and Distributed Processing* (1998), 714–731. J. Rolim, Ed..
- [503] L. Zakrevski and M. G. Karpovsky. 1999. Fault-tolerant message routing in computer networks. *Proceedings of International Conference on Parallel and Distributed Processing Techniques and Applications* (1999), 2279–2287.
- [504] Z. Zhang, X. Chen, J. Li, B. Yao, X. Lu, and J. Wang. 2005. On adjacent-vertex-distinguishing total coloring of graphs. *Science in China, Series A: Mathematics* 48 (2005), 289–299.